

(12) NACH DEM VERTRAG ÜBER DIE INTERNATIONALE ZUSAMMENARBEIT AUF DEM GEBIET DES
PATENTWESENS (PCT) VERÖFFENTLICHTE INTERNATIONALE ANMELDUNG

(19) Weltorganisation für geistiges Eigentum
Internationales Büro



(43) Internationales Veröffentlichungsdatum
24. April 2003 (24.04.2003)

PCT

(10) Internationale Veröffentlichungsnummer
WO 03/032993 A1

(51) Internationale Patentklassifikation⁷: **A61K 31/50**,
31/54, 31/535, A61P 19/10, 35/00, 37/00, 3/10

(21) Internationales Aktenzeichen: PCT/EP02/10507

(22) Internationales Anmeldedatum:
19. September 2002 (19.09.2002)

(25) Einreichungssprache: Deutsch

(26) Veröffentlichungssprache: Deutsch

(30) Angaben zur Priorität:
101 50 517.5 12. Oktober 2001 (12.10.2001) DE

(71) Anmelder (für alle Bestimmungsstaaten mit Ausnahme von
US): **MERCK PATENT GMBH** [DE/DE]; Frankfurter
Strasse 250, 64293 Darmstadt (DE).

(72) Erfinder; und

(75) Erfinder/Anmelder (nur für US): **EGGENWEILER**,
Hans-Michael [DE/DE]; Erbacher Strasse 49, 64287
Darmstadt (DE). **WOLF**, Michael [DE/DE]; Nussbau-
mallee 59, 64297 Darmstadt (DE).

(74) Gemeinsamer Vertreter: **MERCK PATENT GMBH**;
Frankfurter Strasse 250, 64293 Darmstadt (DE).

(81) Bestimmungsstaaten (*national*): AE, AG, AL, AM, AT,
AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR,
CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE,
GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR,
KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK,
MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU,
SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG,
US, UZ, VN, YU, ZA, ZM, ZW.

(84) Bestimmungsstaaten (*regional*): ARIPO-Patent (GH,
GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),
eurasisches Patent (AM, AZ, BY, KG, KZ, MD, RU, TJ,
TM), europäisches Patent (AT, BE, BG, CH, CY, CZ, DE,
DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT,
SE, SK, TR), OAPI-Patent (BF, BJ, CF, CG, CI, CM, GA,
GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Veröffentlicht:

— mit internationalem Recherchenbericht

Zur Erklärung der Zweibuchstaben-Codes und der anderen
Abkürzungen wird auf die Erklärungen ("Guidance Notes on
Codes and Abbreviations") am Anfang jeder regulären Ausgabe
der PCT-Gazette verwiesen.

(54) Title: USE OF PHOSPHODIESTERASE IV INHIBITORS

(54) Bezeichnung: VERWENDUNG VON PHOSPHODIESTERASE IV - INHIBITOREN

(57) Abstract: The invention relates to the use of Phosphodiesterase IV inhibitors and/or the physiologically acceptable salts thereof in the production of a medicament for the treatment of osteoporosis, tumors, tumor metastases, atherosclerosis, rheumatoid arthritis, multiple sclerosis, diabetes mellitus, ulcerative colitis and AIDS.


(57) Zusammenfassung: Verwendung von Phosphodiesterase IV - Inhibitoren und/oder ihrer physiologisch unbedenklichen Salze zur Herstellung eines Arzneimittels zur Behandlung von Osteoporose, Tumoren, Tumormetastasen, Atherosklerose, rheumatoide Arthritis, multiple Sklerose, Diabetes mellitus, ulcerative Kolitis und AIDS.

WO 03/032993 A1

Verwendung von Phosphodiesterase IV - Inhibitoren

Die Erfindung betrifft die Verwendung von

a) Verbindungen der Formel I, offenbart in EP 0 738 715 A2,



worin

R^1 und R^2 jeweils unabhängig voneinander H oder A,

R^3 und R^4 jeweils unabhängig voneinander -OH, -OR¹⁰, -S-R¹⁰,
-SO-R¹⁰, -SO₂-R¹⁰, Hal, Methylendioxy, -NO₂, -NH₂,
-NHR¹⁰ oder -NR¹⁰R¹¹,

R^5 einen unsubstituierten oder ein- oder zweifach durch R^6
und/oder R^7 substituierten Phenylrest,

Q fehlt oder Alkylen mit 1-6 C-Atomen,

R^6 und R^7 jeweils unabhängig voneinander -NH₂, -NR⁸R⁹, -NHR¹⁰,
-NR¹⁰R¹¹, -NO₂, Hal, -CN, -OA, -COOH oder -COOA,

R^8 und R^9 jeweils unabhängig voneinander H, Acyl mit 1-8 C-
Atomen, das durch 1-5 F- und/oder Cl-Atome substitu-
iert sein kann, -COOA, -SO-A, -SO₂A,
-CONH₂, -CONHA, -CONA₂, -CO-COOH, -CO-COOA,
-CO-CONH₂, -CO-CONHA oder -CO-CONA₂,

A Alkyl mit 1 bis 6 C-Atomen, das durch 1-5 F- und/oder
Cl-Atome substituiert sein kann,


R^{10} und R^{11} jeweils unabhängig voneinander A, Cycloalkyl mit 3-7 C-
Atomen, Methylencycloalkyl mit 4-8 C-Atomen oder
Alkenyl mit 2-8 C-Atomen

und

- 2 -

Hal F, Cl, Br oder I
bedeuten,

5 b) Verbindungen der Formel I, offenbart in EP 0 723 962 B1,



worin

- 15 R^1 und R^2 jeweils unabhängig voneinander H oder A,
 R^3 und R^4 jeweils unabhängig voneinander -OH, -OR¹⁰, -S-R¹⁰,
 -SO-R¹⁰, -SO₂-R¹⁰, Hal, Methylendioxy, -NO₂, -NH₂,
 -NHR¹⁰ oder -NR¹⁰R¹¹,
 20 R^5 einen unsubstituierten oder ein- oder zweifach durch R⁶
 und/oder R⁷ substituierten Phenylrest,
 Q fehlt oder Alkylen mit 1-6 C-Atomen,
 R^6 und R^7 jeweils unabhängig voneinander -NH₂, -NR⁸R⁹, -NHR¹⁰,
 -NR¹⁰R¹¹, -NO₂, Hal, -CN, -OA, -COOH oder -COOA,
 25 R^8 und R^9 jeweils unabhängig voneinander H, Acyl mit 1-8 C-
 Atomen, das durch 1-5 F- und/oder Cl-Atome substitu-
 iert sein kann, -COOA, -SO-A, -SO₂A,
 -CONH₂, -CONHA, -CONA₂, -CO-COOH, -CO-COOA,
 30 -CO-CONH₂, -CO-CONHA oder -CO-CONA₂,
 A Alkyl mit 1 bis 6 C-Atomen, das durch 1-5 F- und/oder
 Cl-Atome substituiert sein kann,
 R^{10} und R^{11} jeweils unabhängig voneinander A, Cycloalkyl mit 3-7 C-
 35 Atomen, Methylencycloalkyl mit 4-8 C-Atomen oder
 Alkenyl mit 2-8 C-Atomen

- 3 -

und


Hal F, Cl, Br oder I

bedeuten,

5

c) Verbindungen der Formel I, offenbart in EP 0 763 534 A1,

10



15

worin

B

einen aromatischen Heterocyclus mit 1 bis 4 N-, O- und/oder S-Atomen, über N oder C gebunden, der unsubstituiert oder ein-, zwei- oder dreifach durch Hal, A und/oder OA substituiert sein kann, und auch an einen Benzol- oder Pyridinring kondensiert sein kann,

20

Q

fehlt oder Alkylen mit 1-6 C-Atomen,

25

X

CH₂, S oder O,R¹ und R²

jeweils unabhängig voneinander H oder A,

R³ und R⁴

jeweils unabhängig voneinander -OH, OR⁵, -S-R⁵, -SO-R⁵, -SO₂-R⁵, Hal, Methylendioxy, -NO₂, -NH₂, -NHR⁵ oder -NR⁵R⁶,

30

R⁵ und R⁶

jeweils unabhängig voneinander A, Cycloalkyl mit 3-7 C-Atomen, Methylencycloalkyl mit 4-8 C-Atomen oder Alkenyl mit 2-8 C-Atomen,

35


A

Alkyl mit 1 bis 10 C-Atomen, das durch 1 bis 5 F- und/oder Cl-Atome substituiert sein kann und

- 4 -

Hal F, Cl, Br oder I
bedeuten,

d) Verbindungen der Formel I, offenbart in EP 0 539 806 B1,



worin

R^1 und R^2 jeweils unabhängig voneinander H oder A,

R^3 H, OA oder $O-C_mH_{2m+1-n}X_n$,

R^4 $-O-C_mH_{2m+1-n}X_n$,

X F oder Cl,


A Alkyl mit 1-6 C-Atomen,

m 1, 2, 3, 4, 5 oder 6 und

n 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12 oder 13

bedeuten,

e) Verbindungen der Formel I, offenbart in EP 0 618 201 A1,



worin

R^1 und R^2 jeweils unabhängig voneinander H oder A,

- 5 -

R^3 und R^4 jeweils unabhängig voneinander OH, OA, SA, SOA, SO_2A , Hal, Methylendioxy, Cycloalkyloxy mit 3-7 C-Atomen oder $O-C_mH_{2m+1-k}F_k$,

5 R^5 $-NR^6R^7$ oder $-N(CH_2)_n$,

wobei eine CH_2 -Gruppe auch durch Sauerstoff ersetzt sein kann,

10 R^6 und R^7 jeweils unabhängig voneinander H oder A,

Q Alkylen mit 1-6 C-Atomen,

A Alkyl mit 1-6 C-Atomen,

Hal F, Cl, Br oder I,


m 1, 2, 3, 4, 5 oder 6,

15 n 3, 4, 5 oder 6,

k 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12 oder 13

bedeuten,

20 f) Verbindungen der Formel I, offenbart in DE 196 04 388 A1,



worin

30 R^1 und R^2 jeweils unabhängig voneinander H oder A,

R^3 und R^4 jeweils unabhängig voneinander -OH, OA, -S-A, -SO-A, - SO_2 -A, Hal, Methylendioxy, - NO_2 , - NH_2 , -NHA oder -NAA',

35 A und A' jeweils unabhängig voneinander Alkyl mit 1 bis 10 C-Atomen, das durch 1 bis 5 F- und/oder Cl-Atome substi-

- 6 -

		tiert sein kann, Cycloalkyl mit 3-7 C-Atomen oder Methylencycloalkyl mit 4-8 C-Atomen,
	B	-Y-R ⁵ oder -O-Y-R ⁵ ,
5	Q	fehlt oder Alkylen mit 1-4 C-Atomen,
	Y	fehlt oder Alkylen mit 1-10 C-Atomen,
	X	CH ₂ oder S,
	R ⁵	NH ₂ , NHA, NAA' oder einen unsubstituierten oder einfach durch A oder OH substituierten gesättigten 3-8-
10		gliedrigen Heterocyclus mit mindestens einem N-Atom, worin zusätzlich weitere CH ₂ -Gruppen durch NH, NA, S oder O ersetzt sein können,
	Hal	F, Cl, Br oder I
15		bedeuten,

und/oder ihrer physiologisch unbedenklichen Salze zur Herstellung eines Arzneimittels zur Behandlung von Osteoporose, Tumoren, Tumormetastasen, Atherosklerose, rheumatoide Arthritis, multiple Sklerose, Diabetes mellitus, ulzerative Kolitis und AIDS.

Der Erfindung lag die Aufgabe zugrunde, neue Verwendungen der Verbindungen der Formeln I aufzufinden, insbesondere solche, die zur Herstellung von Arzneimitteln führen können.

Es wurde gefunden, daß die Verbindungen der Formeln I und ihre Salze bei guter Verträglichkeit sehr wertvolle pharmakologische Eigenschaften besitzen.

Insbesondere zeigen sie eine selektive Phosphodiesterase IV-Hemmung, die mit einer intrazellulären Erhöhung von cAMP verbunden ist (N. Sommer et al., Nature Medicine, 1, 244-248 (1995)).

Die PDE IV-Hemmung kann z.B. analog C.W. Davis in Biochim. biophys. Acta **797**, 354-362 (1984) nachgewiesen werden.

5 Die erfindungsgemäßen Verbindungen können zur Behandlung von asthmatischen Erkrankungen eingesetzt werden. Die antiasthmatische Wirkung der PDE IV-Hemmer ist z.B. von T.J. Torphy et al. in Thorax, **46**, 512-523 (1991) beschrieben und kann z. B. nach der Methode von T. Olsson, Acta allergologica **26**, 438-447 (1971), bestimmt werden.

10 Da cAMP knochenabbauende Zellen hemmt und knochenaufbauende Zellen stimuliert (S. Kasugai et al., M681 und K. Miyamoto, M 682, in Abstract der American Society for Bone and Mineral Research 18th annual meeting, 1996), können die erfindungsgemäßen Verbindungen zur Behandlung von Osteoporose eingesetzt werden.

20 Die Verbindungen zeigen außerdem eine hemmende Wirkung auf die Bildung von TNF (Tumor Nekrose Faktor) und eignen sich daher zur Behandlung von allergischen und entzündlichen Krankheiten, Autoimmunkrankheiten und Transplantatabstoßungsreaktionen.

Sie können zur Behandlung von Gedächtnisstörungen, Tumoren, Tumormetastasen, Atherosklerose, rheumatoide Arthritis, multiple Sklerose, 25 Morbus Crohn, atopische Dermatitis, Diabetes mellitus, Ulzerative Kolitis und AIDS eingesetzt werden.

30 Die Wirkung von PDE IV-Hemmern bei der Behandlung von Asthma, entzündlichen Erkrankungen, Diabetes mellitus, atopischer Dermatitis, Psoriasis, AIDS, Tumorwachstum oder Tumormetastasen ist z.B. in der EP 779 291 beschrieben.

35 Die antiinflammatorische Wirkung der erfindungsgemäßen Substanzen und ihre Wirksamkeit zur Behandlung von z.B. Autoimmunerkrankungen,

Multiplesklerose oder rheumatoider Arthritis kann analog den Methoden von N. Sommer et al., Nature Medicine, 1, 244-248 (1995) oder L. Sekut et al., Clin. Exp. Immunol., 100, 126-132 (1995) bestimmt werden.

5 Die Wirkung von PDE IV-Hemmern bei der Tumorbehandlung ist z.B. in der WO 95 35 281, WO 95 17 399 oder WO 96 00 215 beschrieben.

10 Überraschenderweise wurde gefunden, daß die Verbindungen der Formeln I zur Behandlung von Krebs geeignet sind.

Gegenstand der Erfindung ist weiterhin die Verwendung der Verbindungen der Formeln I sowie deren physiologisch unbedenklichen Salze und/oder
15 Solvate zur Herstellung eines Arzneimittels zur Inhibierung des Wachstums neoplastischer Zellen.

Unter neoplastischen Zellen werden Krebszellen verstanden.

20 Gegenstand der Erfindung ist insbesondere die Verwendung der Verbindungen der Formeln I sowie deren physiologisch unbedenklichen Salze und/oder Solvate zur Herstellung eines Arzneimittels zur Behandlung und/oder Prophylaxe von Krebserkrankungen.

25 Gegenstand der Erfindung ist weiterhin die Verwendung der Verbindungen der Formeln I sowie deren physiologisch unbedenklichen Salze und/oder Solvate zur Herstellung eines Arzneimittels zur Behandlung neoplastischer
30 Schädigungen.

Gegenstand der Erfindung ist weiterhin die Verwendung der Verbindungen der Formeln I sowie deren physiologisch unbedenklichen Salze und/oder
35 Solvate zur Herstellung eines Arzneimittels zur Behandlung präcancerogener Schädigungen.

Unter präcancerogenen Schädigungen versteht man z.B. gutartige Wucherungen im Darm, die zu Darmkrebs führen können.

5 Unter präcancerogenen Schädigungen werden insbesondere die in US 5,948,911 in Spalte 4, Zeilen 49-60 genannten Läsionen verstanden.

Unregelmäßigkeiten der Apoptose (Zelltod) spielen eine Rolle bei der Bildung präcancerogener Schädigungen.

10 Auch ist bekannt, daß die Regulierung von Apoptose bei Krankheiten eine wichtige Rolle spielt, die im Zusammenhang mit einem abnormalen Zellwachstum stehen, wie z.B. gutartige Prostatahyperplasie, neurodegenerative Erkrankungen, wie z.B. Parkinson, Autoimmunkrankheiten einschließlich Multiple Sklerose und rheumatoide Arthritis oder Infektionskrankheiten wie AIDS.

20 Die Verbindungen der Formeln I, modulieren Apoptose und finden Verwendung bei der Behandlung oder Prophylaxe von Krebserkrankungen.

Gegenstand der Erfindung ist somit die Verwendung der Verbindungen der Formeln I sowie deren physiologisch unbedenklichen Salze und/oder Solvate zur Herstellung eines Arzneimittels zur Regulierung von Apoptose in menschlichen Zellen.

30 Die Verbindungen der Formeln I können als Arzneimittelwirkstoffe in der Human- und Veterinärmedizin eingesetzt werden. Ferner können sie als Zwischenprodukte zur Herstellung weiterer Arzneimittelwirkstoffe eingesetzt werden.

35 Die Verbindungen der Formeln I können ein chirales Zentrum aufweisen und können daher in mehreren stereoisomeren Formen auftreten. Alle diese Formen (z. B. R- und S-Formen) und deren Gemische (z. B. die R,S-Formen) sind in den Formeln I eingeschlossen.

5 Diese Verbindungen der Formeln I können als Arzneimittel in der Human- oder Veterinärmedizin verwendet werden. Als Trägerstoffe kommen organische oder anorganische Substanzen in Frage, die sich für die enterale (z.B. orale), parenterale oder topische Applikation eignen und mit den neuen Verbindungen nicht reagieren, beispielsweise Wasser, pflanzliche Öle, Benzylalkohole, Alkylenglykole, Polyethylenglykole, Glycerintriacetat, Gelatine, Kohlehydrate wie Lactose oder Stärke, Magnesiumstearat, Talk, 10 Vaseline. Zur oralen Anwendung dienen insbesondere Tabletten, Pillen, Dragees, Kapseln, Pulver, Granulate, Sirupe, Säfte oder Tropfen, zur rektalen Anwendung Suppositorien, zur parenteralen Anwendung Lösungen, vorzugsweise ölige oder wässrige Lösungen, ferner Suspensionen, Emulsionen oder Implantate, für die topische Anwendung Salben, Cremes oder Puder. Die neuen Verbindungen können auch lyophilisiert und die erhaltenen Lyophilisate z.B. zur Herstellung von Injektionspräparaten verwendet werden. Die angegebenen Zubereitungen können sterilisiert sein und/oder 15 Hilfsstoffe wie Gleit-, Konservierungs-, Stabilisierungs- und/oder Netzmittel, Emulgatoren, Salze zur Beeinflussung des osmotischen Druckes, Puffersubstanzen, Farb-, Geschmacks- und /oder ein oder mehrere weitere Wirkstoffe enthalten, z.B. ein oder mehrere Vitamine.

25 Die Verbindungen der Formeln I und ihre physiologisch unbedenklichen Salze können bei der Bekämpfung von Krankheiten, bei denen eine Erhöhung des cAMP(cyclo-Adenosin-monophosphat)-Spiegels zu Entzündungshemmung oder -verhinderung und Muskelentspannung führt, eingesetzt werden. Besondere Verwendung können die erfindungsgemäßen 30 Verbindungen bei der Behandlung von Osteoporose, Tumoren, Tumormetastasen, Asthma, chronischer Bronchitis, atopischer Dermatitis, Psoriasis und anderer Hautkrankheiten und Autoimmunerkrankungen finden.

35 Dabei werden die erfindungsgemäßen Substanzen in der Regel vorzugsweise in Dosierungen zwischen etwa 1 und 500 mg, insbesondere zwi-

schen 5 und 100 mg pro Dosierungseinheit verabreicht. Die tägliche Dosierung liegt vorzugsweise zwischen etwa 0,02 und 10 mg/kg Körpergewicht. Die spezielle Dosis für jeden Patienten hängt jedoch von den verschiedensten Faktoren ab, beispielsweise von der Wirksamkeit der eingesetzten speziellen Verbindung, vom Alter, Körpergewicht, allgemeinen Gesundheitszustand, Geschlecht, von der Kost, vom Verabreichungszeitpunkt und -weg, von der Ausscheidungsgeschwindigkeit, Arzneistoffkombination und Schwere der jeweiligen Erkrankung, welcher die Therapie gilt. Die orale Applikation ist bevorzugt.

Verbindungen der Formeln I können ein oder mehrere Asymmetriezentren enthalten. In diesem Fall liegen sie gewöhnlich in racemischer Form vor. Erhaltene Racemate können nach an sich bekannten Methoden mechanisch oder chemisch in ihre Enantiomeren getrennt werden. Vorzugsweise werden aus dem racemischen Gemisch durch Umsetzung mit einem optisch-aktiven Trennmittel Diastereomere gebildet.

Gegenstand der Erfindung ist insbesondere die Verwendung von
a) Verbindungen, offenbart in EP 0 738 715 A2, ausgewählt aus der Gruppe

2-(4-Nitrobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-
pyridazin-3-on, F. 126°;

2-(3-Nitrobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-
pyridazin-3-on, F. 122°;

2-(2-Nitrobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-
pyridazin-3-on;

2-(2,3-Dinitrobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-
pyridazin-3-on;

2-(2,4-Dinitrobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-
pyridazin-3-on;

2-(2-Methoxybenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-
pyridazin-3-on;

2-(4-Methoxybenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-
pyridazin-3-on;

2-(2-Chlorbenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-
pyridazin-3-on;

5 2-(2,6-Dichlorbenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-
pyridazin-3-on;

2-(4-Cyanbenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-
pyridazin-3-on;

10 2-(4-Carboxybenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-
pyridazin-3-on;

2-(4-Nitrobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-
pyridazin-3-on;

15 2-(3-Nitrobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-
pyridazin-3-on;

2-(2-Nitrobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-
pyridazin-3-on;

20 2-(2,3-Dinitrobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetra-
hydro-pyridazin-3-on;

2-(2,4-Dinitrobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetra-
hydro-pyridazin-3-on;

25 2-(2-Methoxybenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetra-
hydro-pyridazin-3-on;

2-(4-Methoxybenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetra-
hydro-pyridazin-3-on;

30 2-(2-Chlorbenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-
pyridazin-3-on;

2-(2,6-Dichlorbenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetra-
hydro-pyridazin-3-on;

2-(4-Cyanbenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-
pyridazin-3-on;

35 2-(4-Carboxybenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetra-
hydro-pyridazin-3-on;

2-(4-Nitrobenzyl)-6-(3-methoxy-4-trifluormethoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-Nitrobenzyl)-6-(3-methoxy-4-difluormethoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydro-pyridazin-3-on;

5 2-(4-Nitrobenzyl)-6-(3-methoxy-4-fluormethoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-Nitrobenzyl)-6-(3-difluormethoxy-4-methoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydro-pyridazin-3-on;

10 2-(4-Nitrobenzyl)-6-(3-trifluormethoxy-4-methoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-Nitrobenzyl)-6-(3-Fluormethoxy-4-methoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydro-pyridazin-3-on;

15 2-(4-Nitrobenzyl)-6-(3-Methoxy-4-ethoxyphenyl)-5-ethyl-2,3,4,5-
tetrahydro-pyridazin-3-on;

2-(4-Nitrobenzyl)-6-(3-Ethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-
tetrahydro-pyridazin-3-on;

20 2-(4-Nitrobenzyl)-6-(3-hydroxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-
tetrahydro-pyridazin-3-on;

2-(4-Nitrobenzyl)-6-(4-methylsulfonylphenyl)-5-ethyl-2,3,4,5-tetra-
hydro-pyridazin-3-on;

25 2-(4-Nitrobenzyl)-6-(4-methylenoxyphenyl)-5-ethyl-2,3,4,5-tetra-
hydro-pyridazin-3-on;

2-(4-Nitrobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydro-pyridazin-3-on;

30 2-(4-Aminobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-
tetrahydropyridazin-3-on, F. 184°;

2-(3-Aminobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-
pyridazin-3-on, F. 140°;

35 2-(2-Aminobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-
pyridazin-3-on;

2-(2,3-Diaminobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-
pyridazin-3-on;

- 2-(2,4-Diaminobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-Aminobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 5 2-(3-Aminobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on, F. 49°;
- 2-(2-Aminobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 10 2-(2,3-Diaminobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(2,4-Diaminobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 15 2-(4-Aminobenzyl)-6-(3-methoxy-4-trifluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-Aminobenzyl)-6-(3-methoxy-4-difluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 20 2-(4-Aminobenzyl)-6-(3-methoxy-4-fluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-Aminobenzyl)-6-(3-difluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 25 2-(4-Aminobenzyl)-6-(3-trifluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-Aminobenzyl)-6-(3-Fluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 30 2-(4-Aminobenzyl)-6-(3-Methoxy-4-ethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-Aminobenzyl)-6-(3-Ethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-Aminobenzyl)-6-(3-hydroxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 35 2-(4-Aminobenzyl)-6-(4-methylsulfonylphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-Aminobenzyl)-6-(4-methylenoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-Aminobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

5 2-(3-Aminobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on, F. 109°;

2-(4-Aminophenethyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

10 2-(4-Aminophenethyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(3-Aminobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on, F. 112°;

15 2-(4-Carboxybenzyl)-6-(3,4-dihydroxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-Butyrylaminobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on, F. 148°;

20 2-(4-Acetamidobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on, F. 183°;

2-(4-Trifluoroacetamidobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on, F. 210°;

25 2-(4-Methylsulfonamidobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on, F. 138°;

2-(4-Propionylaminobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on, F. 176°;

30 2-(4-tert.-Butylcarbonylaminobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on, F. 155°;

2-(4-Isobutyrylaminobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

35 2-(4-Methoxycarbonylaminobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-Pivalylaminobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-Cyclopentylcarbamoylbenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Ethoxycarbonylaminobenzy)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydropyridazin-3-on, F. 147°;

5

2-(4-Methoxalylaminobenzy)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Ureidobenzy)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydropyridazin-3-on;

10

2-(4-Pentanoylaminobenzy)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Hexanoylaminobenzy)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydropyridazin-3-on;

15

2-(4-Pentafluoropropionylaminobenzy)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Acetamidobenzy)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

20

2-(4-Trifluoracetamidobenzy)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on, F. 133°;

2-(4-Methylsulfonamidobenzy)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

25

2-(4-Propionylaminobenzy)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on, F. 81°;

2-(4-tert.-Butylcarbonylaminobenzy)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

30

2-(4-Butyrylaminobenzy)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on, F. 117°;

2-(4-Isobutyrylaminobenzy)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

35

2-(4-Methoxycarbonylaminobenzy)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on, F. 144°;

2-(4-Pivalylaminobenzy)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

- 2-(4-Cyclopentylcarbamoylbenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Ethoxycarbonylaminobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydropyridazin-3-on, F.154°;
- 5 2-(4-Methoxalylaminobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Ureidobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-
tetrahydropyridazin-3-on;
- 10 2-(4-Pentanoylaminobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-
tetrahydropyridazin-3-on;
- 2-(4-Hexanoylaminobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-
tetrahydropyridazin-3-on;
- 15 2-(4-Pentafluoropropionylaminobenzyl)-6-(3,4-dimethoxyphenyl)-5-
ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Acetamidobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-
tetrahydropyridazin-3-on;
- 20 2-(4-Trifluoroacetamidobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Methylsulfonamidobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-5-
ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 25 2-(4-Propionylaminobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Butyrylaminobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydropyridazin-3-on;
- 30 2-(4-Isobutyrylaminobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Methoxycarbonylaminobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-5-
ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 35 2-(4-Pivalylaminobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Cyclopentylcarbamoylbenzyl)-6-(3-ethoxy-4-methoxyphenyl)-5-
ethyl-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Ethoxycarbonylaminobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Methoxalylaminobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

5 2-(4-Ureidobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Pentanoylaminobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

10 2-(4-Hexanoylaminobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Pentafluoropropionylaminobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

15 2-(4-Acetamidobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Trifluoroacetamidobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on, F. 162°;

20 2-(4-Methylsulfonamidobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Propionylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on, F. 69°;

25 2-(4-tert.-Butylcarbonylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Butyrylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

30 2-(4-Isobutyrylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Methoxycarbonylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

35 2-(4-Pivalylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Cyclopentylcarbamoylebenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Ethoxycarbonylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on, F. 73°;

2-(4-Methoxalylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

5 2-(4-Ureidobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Pentanoylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

10 2-(4-Hexanoylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Pentafluorpropionylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

15 2-(4-Acetamidophenethyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Trifluoracetamidophenethyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

20 2-(4-Methylsulfonamidophenethyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Propionylaminophenethyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

25 2-(4-Butyrylaminophenethyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Isobutyrylaminophenethyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

30 2-(4-Methoxycarbonylaminophenethyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Pivalylaminophenethyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

35 2-(4-Cyclopentylcarbamoylphenethyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Ethoxycarbonylaminophenethyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Methoxalylaminophenethyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Ureidophenethyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-
tetrahydropyridazin-3-on;

5 2-(4-Pentanoylaminophenethyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Hexanoylaminophenethyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydropyridazin-3-on;

10 2-(4-Pentafluoropropionylaminophenethyl)-6-(3,4-dimethoxyphenyl)-5-
ethyl-2,3,4,5-tetrahydropyridazin-3-on;

2-(3-Acetamidobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-
tetrahydropyridazin-3-on;

15 2-(3-Trifluoroacetamidobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydropyridazin-3-on, F. 142°;

2-(3-Methylsulfonamidobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydropyridazin-3-on;

20 2-(3-Propionylaminobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-
tetrahydropyridazin-3-on, F. 126°;

2-(3-Butyrylaminobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-
tetrahydropyridazin-3-on;

25 2-(3-Isobutyrylaminobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-
tetrahydropyridazin-3-on;

2-(3-Methoxycarbonylaminobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydropyridazin-3-on;

30 2-(3-Pivalylaminobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-
tetrahydropyridazin-3-on;

2-(3-Cyclopentylcarbamoylbenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydropyridazin-3-on;

2-(3-Ethoxycarbonylaminobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydropyridazin-3-on, F. 54°;

35 2-(3-Methoxalylaminobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydropyridazin-3-on;

- 2-(3-Ureidobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(3-Pentanoylaminobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 5 2-(3-Hexanoylaminobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(3-Pentafluoropropionylaminobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 10 2-(4-Acetamidobenzyl)-6-(3-fluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Trifluoroacetamidobenzyl)-6-(3-fluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 15 2-(4-Methylsulfonamidobenzyl)-6-(3-fluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Propionylaminobenzyl)-6-(3-fluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 20 2-(4-Butyrylaminobenzyl)-6-(3-fluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Isobutyrylaminobenzyl)-6-(3-fluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 25 2-(4-Methoxycarbonylaminobenzyl)-6-(3-fluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Pivalylaminobenzyl)-6-(3-fluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Cyclopentylcarbonylaminobenzyl)-6-(3-fluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 30 2-(4-Ethoxycarbonylaminobenzyl)-6-(3-fluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Methoxalylaminobenzyl)-6-(3-fluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 35 2-(4-Ureidobenzyl)-6-(3-fluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

- 2-(4-Pentanoylaminobenzyl)-6-(3-fluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Hexanoylaminobenzyl)-6-(3-fluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 5 2-(4-Pentafluoropropionylaminobenzyl)-6-(3-fluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Acetamidobenzyl)-6-(3-difluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 10 2-(4-Trifluoroacetamidobenzyl)-6-(3-difluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Methylsulfonamidobenzyl)-6-(3-difluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 15 2-(4-Propionylaminobenzyl)-6-(3-difluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Butyrylaminobenzyl)-6-(3-difluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 20 2-(4-Isobutyrylaminobenzyl)-6-(3-difluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Methoxycarbonylaminobenzyl)-6-(3-difluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 25 2-(4-Pivalylaminobenzyl)-6-(3-difluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Cyclopentylcarbonylaminobenzyl)-6-(3-difluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 30 2-(4-Ethoxycarbonylaminobenzyl)-6-(3-difluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Methoxalylaminobenzyl)-6-(3-difluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 35 2-(4-Ureidobenzyl)-6-(3-difluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Pentanoylaminobenzyl)-6-(3-difluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

- 2-(4-Hexanoylaminobenzyl)-6-(3-difluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Pentafluoropropionylaminobenzyl)-6-(3-difluormethoxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 5 2-(4-Acetamidobenzyl)-6-(3-trifluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Trifluoracetamidobenzyl)-6-(3-trifluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 10 2-(4-Methylsulfonamidobenzyl)-6-(3-trifluormethoxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Propionylaminobenzyl)-6-(3-trifluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 15 2-(4-Butyrylaminobenzyl)-6-(3-trifluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Isobutyrylaminobenzyl)-6-(3-trifluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 20 2-(4-Methoxycarbonylaminobenzyl)-6-(3-trifluormethoxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Pivalylaminobenzyl)-6-(3-trifluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 25 2-(4-Cyclopentylcarbamoylbenzyl)-6-(3-trifluormethoxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Ethoxycarbonylaminobenzyl)-6-(3-trifluormethoxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 30 2-(4-Methoxalylaminobenzyl)-6-(3-trifluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Ureidobenzyl)-6-(3-trifluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Pentanoylaminobenzyl)-6-(3-trifluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 35 2-(4-Hexanoylaminobenzyl)-6-(3-trifluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

- 2-(4-Pentafluoropropionylaminobenzyl)-6-(3-trifluormethoxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on.
- 2-(4-Acetamidobenzyl)-6-(3-methoxy-4-fluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 5 2-(4-Trifluoracetamidobenzyl)-6-(3-methoxy-4-fluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Methylsulfonamidobenzyl)-6-(3-methoxy-4-fluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 10 2-(4-Propionylaminobenzyl)-6-(3-methoxy-4-fluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Butyrylaminobenzyl)-6-(3-methoxy-4-fluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 15 2-(4-Isobutyrylaminobenzyl)-6-(3-methoxy-4-fluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Methoxycarbonylaminobenzyl)-6-(3-methoxy-4-fluormethoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 20 2-(4-Pivalylaminobenzyl)-6-(3-methoxy-4-fluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Cyclopentylcarbamoylbenzyl)-6-(3-methoxy-4-fluormethoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 25 2-(4-Ethoxycarbonylaminobenzyl)-6-(3-methoxy-4-fluormethoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Methoxalylaminobenzyl)-6-(3-methoxy-4-fluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 30 2-(4-Ureidobenzyl)-6-(3-methoxy-4-fluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Pentanoylaminobenzyl)-6-(3-methoxy-4-fluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 35 2-(4-Hexanoylaminobenzyl)-6-(3-methoxy-4-fluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Pentafluoropropionylaminobenzyl)-6-(3-methoxy-4-fluormethoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

- 2-(4-Acetamidobenzyl)-6-(3-methoxy-4-difluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Trifluoroacetamidobenzyl)-6-(3-methoxy-4-difluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 5 2-(4-Methylsulfonamidobenzyl)-6-(3-methoxy-4-difluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Propionylaminobenzyl)-6-(3-methoxy-4-difluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 10 2-(4-Butyrylaminobenzyl)-6-(3-methoxy-4-difluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Isobutyrylaminobenzyl)-6-(3-methoxy-4-difluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 15 2-(4-Methoxycarbonylaminobenzyl)-6-(3-methoxy-4-difluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Pivalylaminobenzyl)-6-(3-methoxy-4-difluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 20 2-(4-Cyclopentylcarbonylaminobenzyl)-6-(3-methoxy-4-difluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Ethoxycarbonylaminobenzyl)-6-(3-methoxy-4-difluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 25 2-(4-Methoxalylaminobenzyl)-6-(3-methoxy-4-difluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Ureidobenzyl)-6-(3-methoxy-4-difluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 30 2-(4-Pentanoylaminobenzyl)-6-(3-methoxy-4-difluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Hexanoylaminobenzyl)-6-(3-methoxy-4-difluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 35 2-(4-Pentafluoropropionylaminobenzyl)-6-(3-methoxy-4-difluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Acetamidobenzyl)-6-(3-methoxy-4-trifluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Trifluoracetamidobenzyl)-6-(3-methoxy-4-trifluormethoxyphenyl)-
5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Methylsulfonamidobenzyl)-6-(3-methoxy-4-trifluormethoxy-
phenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

5 2-(4-Propionylaminobenzyl)-6-(3-methoxy-4-trifluormethoxyphenyl)-5-
ethyl-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Butyrylaminobenzyl)-6-(3-methoxy-4-trifluormethoxyphenyl)-5-
ethyl-2,3,4,5-tetrahydropyridazin-3-on;

10 2-(4-Isobutyrylaminobenzyl)-6-(3-methoxy-4-trifluormethoxyphenyl)-5-
ethyl-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Methoxycarbonylaminobenzyl)-6-(3-methoxy-4-trifluormethoxy-
phenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

15 2-(4-Pivalylaminobenzyl)-6-(3-methoxy-4-trifluormethoxyphenyl)-5-
ethyl-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Cyclopentylcarbonylaminobenzyl)-6-(3-methoxy-4-trifluormethoxy-
phenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

20 2-(4-Ethoxycarbonylaminobenzyl)-6-(3-methoxy-4-trifluormethoxy-
phenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Methoxalylaminobenzyl)-6-(3-methoxy-4-trifluormethoxyphenyl)-
5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

25 2-(4-Ureidobenzyl)-6-(3-methoxy-4-trifluormethoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Pentanoylaminobenzyl)-6-(3-methoxy-4-trifluormethoxyphenyl)-
5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

30 2-(4-Hexanoylaminobenzyl)-6-(3-methoxy-4-trifluormethoxyphenyl)-5-
ethyl-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Pentafluoropropionylaminobenzyl)-6-(3-methoxy-4-
trifluormethoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;

35 2-(4-Acetamidobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-2,3,4,5-
tetrahydropyridazin-3-on, F. 170°;

2-(4-Trifluoracetamidobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-2,3,4,5-
tetrahydropyridazin-3-on;

2-(4-Methylsulfonamidobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-
2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Propionylaminobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-2,3,4,5-
tetrahydropyridazin-3-on;

5 2-(4-Butyrylaminobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-2,3,4,5-
tetrahydropyridazin-3-on;

2-(4-Isobutyrylaminobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-2,3,4,5-
tetrahydropyridazin-3-on;

10 2-(4-Methoxycarbonylaminobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-
2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Pivalylaminobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-2,3,4,5-
tetrahydropyridazin-3-on;

15 2-(4-Cyclopentylcarbamoylbenzyl)-6-(3-ethoxy-4-methoxyphenyl)-
2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Ethoxycarbonylaminobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-
2,3,4,5-tetrahydropyridazin-3-on, F. 128°;

20 2-(4-Methoxalylaminobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-2,3,4,5-
tetrahydropyridazin-3-on;

2-(4-Ureidobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-2,3,4,5-
tetrahydropyridazin-3-on;

25 2-(4-Pentanoylaminobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-2,3,4,5-
tetrahydropyridazin-3-on;

2-(4-Hexanoylaminobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-2,3,4,5-
tetrahydropyridazin-3-on;

30 2-(4-Pentafluoropropionylaminobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-
2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Acetamidobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-
2,3,4,5-tetrahydropyridazin-3-on;

35 2-(4-Trifluoracetamidobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-
2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Methylsulfonamidobenzyl)-6-(3-cyclopentyloxy-4-methoxy-
phenyl)-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Propionylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-
2,3,4,5-tetrahydropyridazin-3-on;

2-(4-tert.-Butylcarbonylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxy-
phenyl)-2,3,4,5-tetrahydropyridazin-3-on;

5

2-(4-Butyrylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-
2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Isobutyrylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-
2,3,4,5-tetrahydropyridazin-3-on;

10

2-(4-Methoxycarbonylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxy-
phenyl)-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Pivalylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-
2,3,4,5-tetrahydropyridazin-3-on;

15

2-(4-Cyclopentylcarbonylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxy-
phenyl)-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Ethoxycarbonylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxy-
phenyl)-2,3,4,5-tetrahydropyridazin-3-on;

20

2-(4-Methoxalylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-
2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Ureidobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-2,3,4,5-
tetrahydropyridazin-3-on;

25

2-(4-Pentanoylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-
2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Hexanoylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-
2,3,4,5-tetrahydropyridazin-3-on;

30

2-(4-Pentafluorpropionylaminobenzyl)-6-(3-cyclopentyloxy-4-
methoxy-phenyl)-2,3,4,5-tetrahydropyridazin-3-on;

2-(4-Acetamidophenethyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-
tetrahydropyridazin-3-on;

35

2-(4-Trifluoroacetamidophenethyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-
tetrahydropyridazin-3-on;

2-(4-Methylsulfonamidophenethyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-
tetrahydropyridazin-3-on;

- 2-(4-Propionylaminophenethyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Butyrylaminophenethyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydropyridazin-3-on;
- 5 2-(4-Isobutyrylaminophenethyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Methoxycarbonylaminophenethyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydropyridazin-3-on;
- 10 2-(4-Pivalylaminophenethyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Cyclopentylcarbamoylephenethyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydropyridazin-3-on;
- 15 2-(4-Ethoxycarbonylaminophenethyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Methoxalylaminophenethyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydropyridazin-3-on;
- 20 2-(4-Ureidophenethyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Pentanoylaminophenethyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydropyridazin-3-on;
- 25 2-(4-Hexanoylaminophenethyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(4-Pentafluorpropionylaminophenethyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydropyridazin-3-on;
- 30 2-(3-Acetamidobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydropyridazin-3-on, F. 105°;
- 2-(3-Trifluoroacetamidobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydropyridazin-3-on, F. 136°;
- 2-(3-Methylsulfonamidobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydropyridazin-3-on, F. 177°;
- 35 2-(3-Propionylaminobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydropyridazin-3-on, F. 152°;

- 2-(3-tert.-Butylcarbonylaminobenzyl)-6-(3,4-dimethoxyphenyl)-
2,3,4,5-tetrahydropyridazin-3-on;
- 2-(3-Butyrylaminobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-
tetrahydropyridazin-3-on;
- 5 2-(3-Isobutyrylaminobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-
tetrahydropyridazin-3-on;
- 2-(3-Methoxycarbonylaminobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-
tetrahydropyridazin-3-on;
- 10 2-(3-Pivalylaminobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-
tetrahydropyridazin-3-on;
- 2-(3-Cyclopentylcarbamoylbenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-
tetrahydropyridazin-3-on;
- 15 2-(3-Ethoxycarbonylaminobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-
tetrahydropyridazin-3-on, F. 179°;
- 2-(3-Methoxalylaminobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-
tetrahydropyridazin-3-on;
- 20 2-(3-Ureidobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-
tetrahydropyridazin-3-on;
- 2-(3-Pentanoylaminobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-
tetrahydropyridazin-3-on;
- 25 2-(3-Hexanoylaminobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-
tetrahydropyridazin-3-on;
- 2-(3-Pentafluorpropionylaminobenzyl)-6-(3,4-dimethoxyphenyl)-
2,3,4,5-tetrahydropyridazin-3-on;
- 2-(3-Acetamidobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydropyridazin-3-on;
- 30 2-(3-Trifluoroacetamidobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-
5-ethyl-2,3,4,5-tetrahydropyridazin-3-on, F. 70°;
- 2-(3-Methylsulfonamidobenzyl)-6-(3-cyclopentyloxy-4-methoxy-
phenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 35 2-(3-Propionylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-
ethyl-2,3,4,5-tetrahydropyridazin-3-on, F. 113°;

- 2-(3-tert.-Butylcarbonylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(3-Butyrylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 5 2-(3-Isobutyrylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(3-Methoxycarbonylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 10 2-(3-Pivalylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(3-Cyclopentylcarbamoylbzyl)-6-(3-cyclopentyloxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 15 2-(3-Ethoxycarbonylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on, F. 153°;
- 2-(3-Methoxalylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 20 2-(3-Ureidobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(3-Pentanoylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 25 2-(3-Hexanoylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 2-(3-Pentafluorpropionylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydropyridazin-3-on;
- 30 2-(4-Nitrobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on, F. 126°;
- 2-(4-Nitrophenyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;
- 35 b) Verbindungen, offenbart in EP 0 763 534, ausgewählt aus der Gruppe

- 2-(4-Nicotinoylamino-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(3-Nicotinoylamino-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;
- 5 2-(2-Nicotinoylamino-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-Nicotinoylamino-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 10 2-(3-Nicotinoylamino-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(2-Nicotinoylamino-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 15 2-(4-Nicotinoylamino-benzyl)-6-(3-methoxy-4-trifluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-Nicotinoylamino-benzyl)-6-(3-methoxy-4-difluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 20 2-(4-Nicotinoylamino-benzyl)-6-(3-methoxy-4-fluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-Nicotinoylamino-benzyl)-6-(3-difluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 25 2-(4-Nicotinoylamino-benzyl)-6-(3-trifluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-Nicotinoylamino-benzyl)-6-(3-fluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 30 2-(4-Nicotinoylamino-benzyl)-6-(3-methoxy-4-ethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-Nicotinoylamino-benzyl)-6-(3-Ethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-Nicotinoylamino-benzyl)-6-(3-hydroxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 35 2-(4-Nicotinoylamino-benzyl)-6-(4-methylsulfonylphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

- 2-(4-Nicotinoylamino-benzyl)-6-(4-methylenoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-Nicotinoylamino-benzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-
5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 5 2-(3-Nicotinoylamino-benzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-
5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-Nicotinoylamino-phenethyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-
tetrahydro-pyridazin-3-on;
- 10 2-(4-Nicotinoylamino-phenethyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydro-pyridazin-3-on;
- 3-(4-Nicotinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-
1,3,4-thiadiazin-2-on;
- 15 3-(3-Nicotinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-
1,3,4-thiadiazin-2-on;
- 3-(2-Nicotinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-
1,3,4-thiadiazin-2-on;
- 20 3-(4-Nicotinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-
dihydro-1,3,4-thiadiazin-2-on;
- 3-(3-Nicotinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-
dihydro-1,3,4-thiadiazin-2-on;
- 25 3-(2-Nicotinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-
dihydro-1,3,4-thiadiazin-2-on;
- 3-(4-Nicotinoylamino-benzyl)-5-(3-methoxy-4-trifluormethoxyphenyl)-
6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on
- 30 3-(4-Nicotinoylamino-benzyl)-5-(3-methoxy-4-difluormethoxyphenyl)-
6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on
- 3-(4-Nicotinoylamino-benzyl)-5-(3-methoxy-4-fluormethoxyphenyl)-6-
ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 35 3-(4-Nicotinoylamino-benzyl)-5-(3-difluormethoxy-4-methoxyphenyl)-
6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(4-Nicotinoylamino-benzyl)-5-(3-trifluormethoxy-4-methoxyphenyl)-
6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-Nicotinoylamino-benzyl)-5-(3-fluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-Nicotinoylamino-benzyl)-5-(3-methoxy-4-ethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

5 3-(4-Nicotinoylamino-benzyl)-5-(3-ethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-Nicotinoylamino-benzyl)-5-(3-hydroxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

10 3-(4-Nicotinoylamino-benzyl)-5-(4-methylsulfonylphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-Nicotinoylamino-benzyl)-5-(4-methylenoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

15 3-(4-Nicotinoylamino-benzyl)-5-(3-cyclopentyloxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(3-Nicotinoylamino-benzyl)-5-(3-cyclopentyloxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

20 3-(4-Nicotinoylamino-phenethyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-Nicotinoylamino-phenethyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

25 3-(4-Nicotinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(3-Nicotinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;

30 3-(2-Nicotinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-Nicotinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

35 3-(3-Nicotinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(2-Nicotinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

- 3-(4-Nicotinoylamino-benzyl)-5-(3-methoxy-4-trifluormethoxyphenyl)-
6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-Nicotinoylamino-benzyl)-5-(3-methoxy-4-difluormethoxyphenyl)-
6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 5 3-(4-Nicotinoylamino-benzyl)-5-(3-methoxy-4-fluormethoxyphenyl)-6-
ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-Nicotinoylamino-benzyl)-5-(3-difluormethoxy-4-methoxyphenyl)-
6ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 10 3-(4-Nicotinoylamino-benzyl)-5-(3-trifluormethoxy-4-methoxyphenyl)-
6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-Nicotinoylamino-benzyl)-5-(3-fluormethoxy-4-methoxyphenyl)-6-
ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 15 3-(4-Nicotinoylamino-benzyl)-5-(3-methoxy-4-ethoxyphenyl)-6-ethyl-
3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-Nicotinoylamino-benzyl)-5-(3-ethoxy-4-methoxyphenyl)-6-ethyl-
3,6-dihydro-1,3,4-oxadiazin-2-on;
- 20 3-(4-Nicotinoylamino-benzyl)-5-(3-hydroxy-4-methoxyphenyl)-6-ethyl-
3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-Nicotinoylamino-benzyl)-5-(4-methylsulfonylphenyl)-6-ethyl-3,6-
dihydro-1,3,4-oxadiazin-2-on;
- 25 3-(4-Nicotinoylamino-benzyl)-5-(4-methylenoxyphenyl)-6-ethyl-3,6-
dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-Nicotinoylamino-benzyl)-5-(3-cyclopentyloxy-4-methoxyphenyl)-
6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 30 3-(3-Nicotinoylamino-benzyl)-5-(3-cyclopentyloxy-4-methoxyphenyl)-
6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-Nicotinoylamino-phenethyl)-5-(3,4-dimethoxyphenyl)-3,6-
dihydro-1,3,4-oxadiazin-2-on;
- 35 3-(4-Nicotinoylamino-phenethyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-
dihydro-1,3,4-oxadiazin-2-on;
- 2-(4-Isonicotinoylamino-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-
tetrahydro-pyridazin-3-on;

2-(3-Isonicotinoylamino-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(2-Isonicotinoylamino-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

5 2-(4-Isonicotinoylamino-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(3-Isonicotinoylamino-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

10 2-(2-Isonicotinoylamino-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-Isonicotinoylamino-benzyl)-6-(3-methoxy-4-trifluoromethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

15 2-(4-Isonicotinoylamino-benzyl)-6-(3-methoxy-4-difluoromethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-Isonicotinoylamino-benzyl)-6-(3-methoxy-4-fluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

20 2-(4-Isonicotinoylamino-benzyl)-6-(3-difluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-Isonicotinoylamino-benzyl)-6-(3-trifluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

25 2-(4-Isonicotinoylamino-benzyl)-6-(3-fluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-Isonicotinoylamino-benzyl)-6-(3-Methoxy-4-ethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

30 2-(4-Isonicotinoylamino-benzyl)-6-(3-ethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-Isonicotinoylamino-benzyl)-6-(3-hydroxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

35 2-(4-Isonicotinoylamino-benzyl)-6-(4-methylsulfonylphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-Isonicotinoylamino-benzyl)-6-(4-methylenoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

- 2-(4-Isonicotinoylamino-benzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(3-Isonicotinoylamino-benzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 5 2-(4-Isonicotinoylamino-phenethyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-Isonicotinoylamino-phenethyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 10 3-(4-Isonicotinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(3-Isonicotinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 15 3-(2-Isonicotinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(4-Isonicotinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 20 3-(3-Isonicotinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(2-Isonicotinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 25 3-(4-Isonicotinoylamino-benzyl)-5-(3-methoxy-4-trifluoromethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(4-Isonicotinoylamino-benzyl)-5-(3-methoxy-4-difluoromethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 30 3-(4-Isonicotinoylamino-benzyl)-5-(3-methoxy-4-fluormethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(4-Isonicotinoylamino-benzyl)-5-(3-difluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 35 3-(4-Isonicotinoylamino-benzyl)-5-(3-trifluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(4-Nicotinoylamino-benzyl)-5-(3-fluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-Isonicotinoylamino-benzyl)-5-(3-methoxy-4-ethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-Isonicotinoylamino-benzyl)-5-(3-ethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

5 3-(4-Isonicotinoylamino-benzyl)-5-(3-hydroxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-Isonicotinoylamino-benzyl)-5-(4-methylsulfonylphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

10 3-(4-Isonicotinoylamino-benzyl)-5-(4-methylenoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-Isonicotinoylamino-benzyl)-5-(3-cyclopentyloxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

15 3-(3-Isonicotinoylamino-benzyl)-5-(3-cyclopentyloxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-Isonicotinoylamino-phenethyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

20 3-(4-Isonicotinoylamino-phenethyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-Isonicotinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;

25 3-(3-Isonicotinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(2-Isonicotinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;

30 3-(4-Isonicotinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(3-Isonicotinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

35 3-(2-Isonicotinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-Isonicotinoylamino-benzyl)-5-(3-methoxy-4-trifluoromethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

- 3-(4-Isonicotinoylamino-benzyl)-5-(3-methoxy-4-difluoromethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-Isonicotinoylamino-benzyl)-5-(3-methoxy-4-fluormethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 5 3-(4-Isonicotinoylamino-benzyl)-5-(3-difluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-Isonicotinoylamino-benzyl)-5-(3-trifluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 10 3-(4-Isonicotinoylamino-benzyl)-5-(3-fluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-Isonicotinoylamino-benzyl)-5-(3-methoxy-4-ethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 15 3-(4-Isonicotinoylamino-benzyl)-5-(3-ethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-Isonicotinoylamino-benzyl)-5-(3-hydroxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 20 3-(4-Isonicotinoylamino-benzyl)-5-(4-methylsulfonylphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-Isonicotinoylamino-benzyl)-5-(4-methylenoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 25 3-(4-Isonicotinoylamino-benzyl)-5-(3-cyclopentyloxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(3-Isonicotinoylamino-benzyl)-5-(3-cyclopentyloxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 30 3-(4-Isonicotinoylamino-phenethyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-Isonicotinoylamino-phenethyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 2-(4-Picolinoylamino-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;
- 35 2-(3-Picolinoylamino-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(2-Picolinoylamino-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-Picolinoylamino-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

5 2-(3-Picolinoylamino-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(2-Picolinoylamino-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

10 2-(4-Picolinoylamino-benzyl)-6-(3-methoxy-4-trifluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-Picolinoylamino-benzyl)-6-(3-methoxy-4-difluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

15 2-(4-Picolinoylamino-benzyl)-6-(3-methoxy-4-fluormethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-Picolinoylamino-benzyl)-6-(3-difluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

20 2-(4-Picolinoylamino-benzyl)-6-(3-trifluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-Picolinoylamino-benzyl)-6-(3-fluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

25 2-(4-Picolinoylamino-benzyl)-6-(3-methoxy-4-ethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-Picolinoylamino-benzyl)-6-(3-ethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

30 2-(4-Picolinoylamino-benzyl)-6-(3-hydroxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-Picolinoylamino-benzyl)-6-(4-methylsulfonylphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-Picolinoylamino-benzyl)-6-(4-methylenoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

35 2-(4-Picolinoylamino-benzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(3-Picolinoylamino-benzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-
5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-Picolinoylamino-phenethyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-
tetrahydro-pyridazin-3-on;

5 2-(4-Picolinoylamino-phenethyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydro-pyridazin-3-on;

3-(4-Picolinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-
1,3,4-thiadiazin-2-on;

10 3-(3-Picolinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-
1,3,4-thiadiazin-2-on;

3-(2-Picolinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-
1,3,4-thiadiazin-2-on;

15 3-(4-Picolinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-
dihydro-1,3,4-thiadiazin-2-on;

3-(3-Picolinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-
dihydro-1,3,4-thiadiazin-2-on;

20 3-(2-Picolinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-
dihydro-1,3,4-thiadiazin-2-on;

3-(4-Picolinoylamino-benzyl)-5-(3-methoxy-4-trifluormethoxyphenyl)-
6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

25 3-(4-Picolinoylamino-benzyl)-5-(3-methoxy-4-difluormethoxyphenyl)-
6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-Picolinoylamino-benzyl)-5-(3-methoxy-4-fluormethoxyphenyl)-6-
ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

30 3-(4-Picolinoylamino-benzyl)-5-(3-difluormethoxy-4-methoxyphenyl)-
6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-Picolinoylamino-benzyl)-5-(3-trifluormethoxy-4-methoxyphenyl)-
6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

35 3-(4-Picolinoylamino-benzyl)-5-(3-fluormethoxy-4-methoxyphenyl)-6-
ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-Picolinoylamino-benzyl)-5-(3-methoxy-4-ethoxyphenyl)-6-ethyl-
3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-Picolinoylamino-benzyl)-5-(3-ethoxy-4-methoxyphenyl)-6-ethyl-
3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-Picolinoylamino-benzyl)-5-(3-hydroxy-4-methoxyphenyl)-6-ethyl-
3,6-dihydro-1,3,4-thiadiazin-2-on;

5 3-(4-Picolinoylamino-benzyl)-5-(4-methylsulfonylphenyl)-6-ethyl-3,6-
dihydro-1,3,4-thiadiazin-2-on;

3-(4-Picolinoylamino-benzyl)-5-(4-methylenoxyphenyl)-6-ethyl-3,6-
dihydro-1,3,4-thiadiazin-2-on;

10 3-(4-Picolinoylamino-benzyl)-5-(3-cyclopentyloxy-4-methoxyphenyl)-
6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(3-Picolinoylamino-benzyl)-5-(3-cyclopentyloxy-4-methoxyphenyl)-
6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

15 3-(4-Picolinoylamino-phenethyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-
1,3,4-thiadiazin-2-on;

3-(4-Picolinoylamino-phenethyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-
dihydro-1,3,4-thiadiazin-2-on;

20 3-(4-Picolinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-
1,3,4-oxadiazin-2-on;

3-(3-Picolinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-
1,3,4-oxadiazin-2-on;

25 3-(2-Picolinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-
1,3,4-oxadiazin-2-on;

3-(4-Picolinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-
dihydro-1,3,4-oxadiazin-2-on;

30 3-(3-Picolinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-
dihydro-1,3,4-oxadiazin-2-on;

3-(2-Picolinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-
dihydro-1,3,4-oxadiazin-2-on;

35 3-(4-Picolinoylamino-benzyl)-5-(3-methoxy-4-trifluormethoxyphenyl)-
6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-Picolinoylamino-benzyl)-5-(3-methoxy-4-difluormethoxyphenyl)-
6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-Picolinoylamino-benzyl)-5-(3-methoxy-4-fluormethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-Picolinoylamino-benzyl)-5-(3-difluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

5 3-(4-Picolinoylamino-benzyl)-5-(3-trifluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-Picolinoylamino-benzyl)-5-(3-fluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

10 3-(4-Picolinoylamino-benzyl)-5-(3-methoxy-4-ethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-Picolinoylamino-benzyl)-5-(3-ethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

15 3-(4-Picolinoylamino-benzyl)-5-(3-hydroxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-Picolinoylamino-benzyl)-5-(4-methylsulfonylphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

20 3-(4-Picolinoylamino-benzyl)-5-(4-methylenoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-Picolinoylamino-benzyl)-5-(3-cyclopentyloxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

25 3-(3-Picolinoylamino-benzyl)-5-(3-cyclopentyloxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-Picolinoylamino-phenethyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;

30 3-(4-Picolinoylamino-phenethyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

2-(4-(Furan-2-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

35 2-(3-(Furan-2-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(2-(Furan-2-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

- 2-(4-(Furan-2-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(3-(Furan-2-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 5 2-(2-(Furan-2-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Furan-2-carbonylamino)-benzyl)-6-(3-methoxy-4-trifluoromethoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 10 2-(4-(Furan-2-carbonylamino)-benzyl)-6-(3-methoxy-4-difluoromethoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Furan-2-carbonylamino)-benzyl)-6-(3-methoxy-4-fluor-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 15 2-(4-(Furan-2-carbonylamino)-benzyl)-6-(3-difluormethoxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Furan-2-carbonylamino)-benzyl)-6-(3-trifluormethoxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 20 2-(4-(Furan-2-carbonylamino)-benzyl)-6-(3-Fluormethoxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Furan-2-carbonylamino)-benzyl)-6-(3-methoxy-4-ethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 25 2-(4-(Furan-2-carbonylamino)-benzyl)-6-(3-ethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Furan-2-carbonylamino)-benzyl)-6-(3-hydroxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 30 2-(4-(Furan-2-carbonylamino)-benzyl)-6-(4-methylsulfonylphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Furan-2-carbonylamino)-benzyl)-6-(4-methylenoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 35 2-(4-(Furan-2-carbonylamino)-benzyl)-6-(3-cyclopentyloxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(3-(Furan-2-carbonylamino)-benzyl)-6-(3-cyclopentyloxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-(Furan-2-carbonylamino)-phenethyl)-6-(3,4-dimethoxyphenyl)-
2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-(Furan-2-carbonylamino)-phenethyl)-6-(3,4-dimethoxyphenyl)-5-
ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

5

3-(4-(Furan-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-
dihydro-1,3,4-thiadiazin-2-on;

3-(3-(Furan-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-
dihydro-1,3,4-thiadiazin-2-on;

10

3-(2-(Furan-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-
dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Furan-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-
ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

15

3-(3-(Furan-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-
ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(2-(Furan-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-
ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

20

3-(4-(Furan-2-carbonylamino)-benzyl)-5-(3-methoxy-4-trifluor-
methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Furan-2-carbonylamino)-benzyl)-5-(3-methoxy-4-difluor-
methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

25

3-(4-(Furan-2-carbonylamino)-benzyl)-5-(3-methoxy-4-fluor-methoxy-
phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Furan-2-carbonylamino)-benzyl)-5-(3-difluormethoxy-4-
methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

30

3-(4-(Furan-2-carbonylamino)-benzyl)-5-(3-trifluormethoxy-4-
methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Furan-2-carbonylamino)-benzyl)-5-(3-fluormethoxy-4-methoxy-
phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

35

3-(4-(Furan-2-carbonylamino)-benzyl)-5-(3-methoxy-4-ethoxyphenyl)-
6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Furan-2-carbonylamino)-benzyl)-5-(3-ethoxy-4-methoxyphenyl)-
6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

- 3-(4-(Furan-2-carbonylamino)-benzyl)-5-(3-hydroxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(4-(Furan-2-carbonylamino)-benzyl)-5-(4-methylsulfonylphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 5 3-(4-(Furan-2-carbonylamino)-benzyl)-5-(4-methylenoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(4-(Furan-2-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 10 3-(3-(Furan-2-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(4-(Furan-2-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 15 3-(4-(Furan-2-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(4-(Furan-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 20 3-(3-(Furan-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(2-(Furan-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 25 3-(4-(Furan-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(3-(Furan-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 30 3-(2-(Furan-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-(Furan-2-carbonylamino)-benzyl)-5-(3-methoxy-4-trifluoromethoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 35 3-(4-(Furan-2-carbonylamino)-benzyl)-5-(3-methoxy-4-difluoromethoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-(Furan-2-carbonylamino)-benzyl)-5-(3-methoxy-4-fluor-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Furan-2-carbonylamino)-benzyl)-5-(3-difluormethoxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Furan-2-carbonylamino)-benzyl)-5-(3-trifluormethoxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

5

3-(4-(Furan-2-carbonylamino)-benzyl)-5-(3-fluormethoxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Furan-2-carbonylamino)-benzyl)-5-(3-methoxy-4-ethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

10

3-(4-(Furan-2-carbonylamino)-benzyl)-5-(3-ethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Furan-2-carbonylamino)-benzyl)-5-(3-hydroxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

15

3-(4-(Furan-2-carbonylamino)-benzyl)-5-(4-methylsulfonylphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Furan-2-carbonylamino)-benzyl)-5-(4-methylenoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

20

3-(4-(Furan-2-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(3-(Furan-2-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

25

3-(4-(Furan-2-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Furan-2-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

30

2-(4-(Pyrrol-2-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(3-(Pyrrol-2-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

35

2-(2-(Pyrrol-2-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-(Pyrrol-2-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

- 2-(3-(Pyrrol-2-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(2-(Pyrrol-2-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 5 2-(4-(Pyrrol-2-carbonylamino)-benzyl)-6-(3-methoxy-4-trifluoromethoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Pyrrol-2-carbonylamino)-benzyl)-6-(3-methoxy-4-difluoromethoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 10 2-(4-(Pyrrol-2-carbonylamino)-benzyl)-6-(3-methoxy-4-fluor-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Pyrrol-2-carbonylamino)-benzyl)-6-(3-difluormethoxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 15 2-(4-(Pyrrol-2-carbonylamino)-benzyl)-6-(3-trifluormethoxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Pyrrol-2-carbonylamino)-benzyl)-6-(3-Fluormethoxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 20 2-(4-(Pyrrol-2-carbonylamino)-benzyl)-6-(3-methoxy-4-ethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Pyrrol-2-carbonylamino)-benzyl)-6-(3-ethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 25 2-(4-(Pyrrol-2-carbonylamino)-benzyl)-6-(3-hydroxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Pyrrol-2-carbonylamino)-benzyl)-6-(4-methylsulfonylphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Pyrrol-2-carbonylamino)-benzyl)-6-(4-methylenoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 30 2-(4-(Pyrrol-2-carbonylamino)-benzyl)-6-(3-cyclopentyloxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(3-(Pyrrol-2-carbonylamino)-benzyl)-6-(3-cyclopentyloxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 35 2-(4-(Pyrrol-2-carbonylamino)-phenethyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

- 2-(4-(Pyrrol-2-carbonylamino)-phenethyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 3-(4-(Pyrrol-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 5 3-(3-(Pyrrol-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(2-(Pyrrol-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 10 3-(4-(Pyrrol-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(3-(Pyrrol-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 15 3-(2-(Pyrrol-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(4-(Pyrrol-2-carbonylamino)-benzyl)-5-(3-methoxy-4-trifluoromethoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 20 3-(4-(Pyrrol-2-carbonylamino)-benzyl)-5-(3-methoxy-4-difluoromethoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(4-(Pyrrol-2-carbonylamino)-benzyl)-5-(3-methoxy-4-fluor-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 25 3-(4-(Pyrrol-2-carbonylamino)-benzyl)-5-(3-difluormethoxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(4-(Pyrrol-2-carbonylamino)-benzyl)-5-(3-trifluormethoxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 30 3-(4-(Pyrrol-2-carbonylamino)-benzyl)-5-(3-fluormethoxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(4-(Pyrrol-2-carbonylamino)-benzyl)-5-(3-Methoxy-4-ethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 35 3-(4-(Pyrrol-2-carbonylamino)-benzyl)-5-(3-ethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(4-(Pyrrol-2-carbonylamino)-benzyl)-5-(3-hydroxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Pyrrol-2-carbonylamino)-benzyl)-5-(4-methylsulfonylphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Pyrrol-2-carbonylamino)-benzyl)-5-(4-methylenoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

5 3-(4-(Pyrrol-2-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(3-(Pyrrol-2-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

10 3-(4-(Pyrrol-2-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Pyrrol-2-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

15 3-(4-(Pyrrol-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(3-(Pyrrol-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;

20 3-(2-(Pyrrol-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Pyrrol-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

25 3-(3-(Pyrrol-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(2-(Pyrrol-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

30 3-(4-(Pyrrol-2-carbonylamino)-benzyl)-5-(3-methoxy-4-trifluoromethoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Pyrrol-2-carbonylamino)-benzyl)-5-(3-methoxy-4-difluoromethoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

35 3-(4-(Pyrrol-2-carbonylamino)-benzyl)-5-(3-methoxy-4-fluor-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Pyrrol-2-carbonylamino)-benzyl)-5-(3-difluormethoxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

- 3-(4-(Pyrrol-2-carboxylamino)-benzyl)-5-(3-trifluoromethoxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-(Pyrrol-2-carboxylamino)-benzyl)-5-(3-fluoromethoxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 5 3-(4-(Pyrrol-2-carboxylamino)-benzyl)-5-(3-methoxy-4-ethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-(Pyrrol-2-carboxylamino)-benzyl)-5-(3-ethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 10 3-(4-(Pyrrol-2-carboxylamino)-benzyl)-5-(3-hydroxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-(Pyrrol-2-carboxylamino)-benzyl)-5-(4-methylsulfonylphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 15 3-(4-(Pyrrol-2-carboxylamino)-benzyl)-5-(4-methylenoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-(Pyrrol-2-carboxylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 20 3-(3-(Pyrrol-2-carboxylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-(Pyrrol-2-carboxylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 25 3-(4-(Pyrrol-2-carboxylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 2-(4-(Thiophen-2-carboxylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(3-(Thiophen-2-carboxylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;
- 30 2-(2-(Thiophen-2-carboxylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Thiophen-2-carboxylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 35 2-(3-(Thiophen-2-carboxylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

- 2-(2-(Thiophen-2-carboxylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Thiophen-2-carboxylamino)-benzyl)-6-(3-methoxy-4-trifluoromethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 5 2-(4-(Thiophen-2-carboxylamino)-benzyl)-6-(3-methoxy-4-difluoromethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Thiophen-2-carboxylamino)-benzyl)-6-(3-methoxy-4-fluoromethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 10 2-(4-(Thiophen-2-carboxylamino)-benzyl)-6-(3-difluoromethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Thiophen-2-carboxylamino)-benzyl)-6-(3-trifluoromethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 15 2-(4-(Thiophen-2-carboxylamino)-benzyl)-6-(3-fluoromethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Thiophen-2-carboxylamino)-benzyl)-6-(3-Methoxy-4-ethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 20 2-(4-(Thiophen-2-carboxylamino)-benzyl)-6-(3-ethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Thiophen-2-carboxylamino)-benzyl)-6-(3-hydroxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 25 2-(4-(Thiophen-2-carboxylamino)-benzyl)-6-(4-methylsulfonylphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Thiophen-2-carboxylamino)-benzyl)-6-(4-methylenoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 30 2-(4-(Thiophen-2-carboxylamino)-benzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(3-(Thiophen-2-carboxylamino)-benzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Thiophen-2-carboxylamino)-phenethyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;
- 35 2-(4-(Thiophen-2-carboxylamino)-phenethyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

3-(4-(Thiophen-2-carboxylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-
3,6-dihydro-1,3,4-thiadiazin-2-on, F. 186°;

3-(3-(Thiophen-2-carboxylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-
3,6-dihydro-1,3,4-thiadiazin-2-on;

5 3-(2-(Thiophen-2-carboxylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-
3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Thiophen-2-carboxylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-
ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

10 3-(3-(Thiophen-2-carboxylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-
ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(2-(Thiophen-2-carboxylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-
ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

15 3-(4-(Thiophen-2-carboxylamino)-benzyl)-5-(3-methoxy-4-trifluor-
methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Thiophen-2-carboxylamino)-benzyl)-5-(3-methoxy-4-difluor-
methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

20 3-(4-(Thiophen-2-carboxylamino)-benzyl)-5-(3-methoxy-4-fluor-
methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Thiophen-2-carboxylamino)-benzyl)-5-(3-difluormethoxy-4-
methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

25 3-(4-(Thiophen-2-carboxylamino)-benzyl)-5-(3-trifluormethoxy-4-
methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Thiophen-2-carboxylamino)-benzyl)-5-(3-fluormethoxy-4-
methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

30 3-(4-(Thiophen-2-carboxylamino)-benzyl)-5-(3-methoxy-4-ethoxy-
phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Thiophen-2-carboxylamino)-benzyl)-5-(3-ethoxy-4-methoxy-
phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

35 3-(4-(Thiophen-2-carboxylamino)-benzyl)-5-(3-hydroxy-4-methoxy-
phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Thiophen-2-carboxylamino)-benzyl)-5-(4-methylsulfonylphenyl)-
6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

- 3-(4-(Thiophen-2-carbonylamino)-benzyl)-5-(4-methylenoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(4-(Thiophen-2-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 5 3-(3-(Thiophen-2-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(4-(Thiophen-2-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 10 3-(4-(Thiophen-2-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(4-(Thiophen-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 15 3-(3-(Thiophen-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(2-(Thiophen-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-(Thiophen-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 20 3-(3-(Thiophen-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(2-(Thiophen-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 25 3-(4-(Thiophen-2-carbonylamino)-benzyl)-5-(3-methoxy-4-trifluoromethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-(Thiophen-2-carbonylamino)-benzyl)-5-(3-methoxy-4-difluoromethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 30 3-(4-(Thiophen-2-carbonylamino)-benzyl)-5-(3-methoxy-4-fluoromethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-(Thiophen-2-carbonylamino)-benzyl)-5-(3-difluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 35 3-(4-(Thiophen-2-carbonylamino)-benzyl)-5-(3-trifluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

- 3-(4-(Thiophen-2-carbonylamino)-benzyl)-5-(3-fluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-(Thiophen-2-carbonylamino)-benzyl)-5-(3-Methoxy-4-ethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 5 3-(4-(Thiophen-2-carbonylamino)-benzyl)-5-(3-ethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-(Thiophen-2-carbonylamino)-benzyl)-5-(3-hydroxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 10 3-(4-(Thiophen-2-carbonylamino)-benzyl)-5-(4-methylsulfonylphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-(Thiophen-2-carbonylamino)-benzyl)-5-(4-methylenoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 15 3-(4-(Thiophen-2-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(3-(Thiophen-2-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-(Thiophen-2-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 20 3-(4-(Thiophen-2-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 2-(4-Pyrazincarbonylamino-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on, F. 197°;
- 25 2-(3-Pyrazincarbonylamino-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(2-Pyrazincarbonylamino-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;
- 30 2-(4-Pyrazincarbonylamino-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(3-Pyrazincarbonylamino-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 35 2-(2-Pyrazincarbonylamino-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

- 2-(4-Pyrazincarbonylamino-benzyl)-6-(3-methoxy-4-trifluor-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-Pyrazincarbonylamino-benzyl)-6-(3-methoxy-4-difluor-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 5 2-(4-Pyrazincarbonylamino-benzyl)-6-(3-methoxy-4-fluor-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-Pyrazincarbonylamino-benzyl)-6-(3-difluormethoxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 10 2-(4-Pyrazincarbonylamino-benzyl)-6-(3-trifluormethoxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-Pyrazincarbonylamino-benzyl)-6-(3-fluormethoxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 15 2-(4-Pyrazincarbonylamino-benzyl)-6-(3-methoxy-4-ethoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-Pyrazincarbonylamino-benzyl)-6-(3-ethoxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 20 2-(4-Pyrazincarbonylamino-benzyl)-6-(3-hydroxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-Pyrazincarbonylamino-benzyl)-6-(4-methylsulfonylphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 25 2-(4-Pyrazincarbonylamino-benzyl)-6-(4-methylenoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-Pyrazincarbonylamino-benzyl)-6-(3-cyclopentyloxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 30 2-(3-Pyrazincarbonylamino-benzyl)-6-(3-cyclopentyloxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-Pyrazincarbonylamino-phenethyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;
- 35 2-(4-Pyrazincarbonylamino-phenethyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 3-(4-Pyrazincarbonylamino-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on, F. 202°;

3-(3-Pyrazincarbonylamino-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(2-Pyrazincarbonylamino-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

5 3-(4-Pyrazincarbonylamino-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(3-Pyrazincarbonylamino-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

10 3-(2-Pyrazincarbonylamino-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-Pyrazincarbonylamino-benzyl)-5-(3-methoxy-4-trifluor-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

15 3-(4-Pyrazincarbonylamino-benzyl)-5-(3-methoxy-4-difluor-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-Pyrazincarbonylamino-benzyl)-5-(3-methoxy-4-fluor-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

20 3-(4-Pyrazincarbonylamino-benzyl)-5-(3-difluormethoxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-Pyrazincarbonylamino-benzyl)-5-(3-trifluormethoxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

25 3-(4-Pyrazincarbonylamino-benzyl)-5-(3-fluormethoxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-Pyrazincarbonylamino-benzyl)-5-(3-methoxy-4-ethoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

30 3-(4-Pyrazincarbonylamino-benzyl)-5-(3-ethoxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-Pyrazincarbonylamino-benzyl)-5-(3-hydroxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

35 3-(4-Pyrazincarbonylamino-benzyl)-5-(4-methylsulfonylphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-Pyrazincarbonylamino-benzyl)-5-(4-methylenoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-Pyrazincarbonylamino-benzyl)-5-(3-cyclopentyloxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(3-Pyrazincarbonylamino-benzyl)-5-(3-cyclopentyloxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

5 3-(4-Pyrazincarbonylamino-phenethyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-Pyrazincarbonylamino-phenethyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

10 3-(4-Pyrazincarbonylamino-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(3-Pyrazincarbonylamino-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;

15 3-(2-Pyrazincarbonylamino-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-Pyrazincarbonylamino-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

20 3-(3-Pyrazincarbonylamino-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(2-Pyrazincarbonylamino-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

25 3-(4-Pyrazincarbonylamino-benzyl)-5-(3-methoxy-4-trifluor-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-Pyrazincarbonylamino-benzyl)-5-(3-methoxy-4-difluor-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

30 3-(4-Pyrazincarbonylamino-benzyl)-5-(3-methoxy-4-fluor-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-Pyrazincarbonylamino-benzyl)-5-(3-difluormethoxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

35 3-(4-Pyrazincarbonylamino-benzyl)-5-(3-trifluormethoxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-Pyrazincarbonylamino-benzyl)-5-(3-fluormethoxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-Pyrazincarbonylamino-benzyl)-5-(3-Methoxy-4-ethoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-Pyrazincarbonylamino-benzyl)-5-(3-ethoxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

5 3-(4-Pyrazincarbonylamino-benzyl)-5-(3-hydroxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-Pyrazincarbonylamino-benzyl)-5-(4-methylsulfonylphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

10 3-(4-Pyrazincarbonylamino-benzyl)-5-(4-methylenoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-Pyrazincarbonylamino-benzyl)-5-(3-cyclopentyloxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

15 3-(3-Pyrazincarbonylamino-benzyl)-5-(3-cyclopentyloxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-Pyrazincarbonylamino-phenethyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;

20 3-(4-Pyrazincarbonylamino-phenethyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

2-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-6-(3,4-dimethoxy-phenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

25 2-(3-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-6-(3,4-dimethoxy-phenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(2-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-6-(3,4-dimethoxy-phenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

30 2-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-6-(3,4-dimethoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(3-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-6-(3,4-dimethoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(2-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-6-(3,4-dimethoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

35 2-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-6-(3-methoxy-4-trifluor-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

- 2-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-6-(3-methoxy-4-difluor-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-6-(3-methoxy-4-fluor-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 5 2-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-6-(3-difluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-6-(3-trifluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 10 on;
- 2-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-6-(3-fluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-6-(3-methoxy-4-ethoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 15 2-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-6-(3-ethoxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-6-(3-hydroxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 20 2-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-6-(4-methylsulfonylphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-6-(4-methylenoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 25 2-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(3-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 30 2-(4-(6-Chlor-pyridazin-3-carbonylamino)-phenethyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(6-Chlor-pyridazin-3-carbonylamino)-phenethyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 35 3-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(3-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3,4-dimethoxy-phenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(2-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3,4-dimethoxy-phenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

5

3-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3,4-dimethoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(3-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3,4-dimethoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

10

3-(2-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3,4-dimethoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3-methoxy-4-trifluor-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

15

3-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3-methoxy-4-difluor-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3-methoxy-4-fluor-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

20

3-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3-difluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3-trifluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

25

3-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3-fluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3-methoxy-4-ethoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

30

3-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3-ethoxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3-hydroxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(4-methylsulfonylphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

35

3-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(4-methylenoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

- 3-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(3-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 5 3-(4-(6-Chlor-pyridazin-3-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(4-(6-Chlor-pyridazin-3-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 10 3-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(3-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 15 3-(2-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 20 3-(3-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(2-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 25 3-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3-methoxy-4-trifluor-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3-methoxy-4-difluor-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 30 3-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3-methoxy-4-fluor-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3-difluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 35 3-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3-trifluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3-fluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3-methoxy-4-ethoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3-ethoxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

5 3-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3-hydroxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(4-methylsulfonylphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

10 3-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(4-methylenoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

15 3-(3-(6-Chlor-pyridazin-3-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(6-Chlor-pyridazin-3-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;

20 3-(4-(6-Chlor-pyridazin-3-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

2-(4-(Imidazol-4-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

25 2-(3-(Imidazol-4-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(2-(Imidazol-4-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

30 2-(4-(Imidazol-4-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(3-(Imidazol-4-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(2-(Imidazol-4-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

35 2-(4-(Imidazol-4-carbonylamino)-benzyl)-6-(3-methoxy-4-trifluoromethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

- 2-(4-(Imidazol-4-carbonylamino)-benzyl)-6-(3-methoxy-4-difluoromethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Imidazol-4-carbonylamino)-benzyl)-6-(3-methoxy-4-fluoromethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 5 2-(4-(Imidazol-4-carbonylamino)-benzyl)-6-(3-difluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Imidazol-4-carbonylamino)-benzyl)-6-(3-trifluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 10 2-(4-(Imidazol-4-carbonylamino)-benzyl)-6-(3-fluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Imidazol-4-carbonylamino)-benzyl)-6-(3-methoxy-4-ethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 15 2-(4-(Imidazol-4-carbonylamino)-benzyl)-6-(3-ethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Imidazol-4-carbonylamino)-benzyl)-6-(3-hydroxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 20 2-(4-(Imidazol-4-carbonylamino)-benzyl)-6-(4-methylsulfonylphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Imidazol-4-carbonylamino)-benzyl)-6-(4-methylenoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 25 2-(4-(Imidazol-4-carbonylamino)-benzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(3-(Imidazol-4-carbonylamino)-benzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 30 2-(4-(Imidazol-4-carbonylamino)-phenethyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Imidazol-4-carbonylamino)-phenethyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 35 3-(4-(Imidazol-4-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(3-(Imidazol-4-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(2-(Imidazol-4-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-
3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Imidazol-4-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-
ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

5 3-(3-(Imidazol-4-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-
ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(2-(Imidazol-4-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-
ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

10 3-(4-(Imidazol-4-carbonylamino)-benzyl)-5-(3-methoxy-4-trifluor-
methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Imidazol-4-carbonylamino)-benzyl)-5-(3-methoxy-4-difluor-
methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

15 3-(4-(Imidazol-4-carbonylamino)-benzyl)-5-(3-methoxy-4-fluor-
methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Imidazol-4-carbonylamino)-benzyl)-5-(3-difluormethoxy-4-
methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

20 3-(4-(Imidazol-4-carbonylamino)-benzyl)-5-(3-trifluormethoxy-4-
methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Imidazol-4-carbonylamino)-benzyl)-5-(3-fluormethoxy-4-
methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

25 3-(4-(Imidazol-4-carbonylamino)-benzyl)-5-(3-methoxy-4-ethoxy-
phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Imidazol-4-carbonylamino)-benzyl)-5-(3-ethoxy-4-methoxy-
phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

30 3-(4-(Imidazol-4-carbonylamino)-benzyl)-5-(3-hydroxy-4-methoxy-
phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Imidazol-4-carbonylamino)-benzyl)-5-(4-methylsulfonylphenyl)-
6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Imidazol-4-carbonylamino)-benzyl)-5-(4-methylenoxyphenyl)-6-
ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

35 3-(4-(Imidazol-4-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-
methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

- 3-(3-(Imidazol-4-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(4-(Imidazol-4-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 5 3-(4-(Imidazol-4-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(4-(Imidazol-4-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 10 3-(3-(Imidazol-4-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(2-(Imidazol-4-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 15 3-(4-(Imidazol-4-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(3-(Imidazol-4-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 20 3-(2-(Imidazol-4-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-(Imidazol-4-carbonylamino)-benzyl)-5-(3-methoxy-4-trifluoromethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 25 3-(4-(Imidazol-4-carbonylamino)-benzyl)-5-(3-methoxy-4-difluoromethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-(Imidazol-4-carbonylamino)-benzyl)-5-(3-methoxy-4-fluoromethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 30 3-(4-(Imidazol-4-carbonylamino)-benzyl)-5-(3-difluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-(Imidazol-4-carbonylamino)-benzyl)-5-(3-trifluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 35 3-(4-(Imidazol-4-carbonylamino)-benzyl)-5-(3-fluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-(Imidazol-4-carbonylamino)-benzyl)-5-(3-methoxy-4-ethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Imidazol-4-carbonylamino)-benzyl)-5-(3-ethoxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Imidazol-4-carbonylamino)-benzyl)-5-(3-hydroxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

5 3-(4-(Imidazol-4-carbonylamino)-benzyl)-5-(4-methylsulfonylphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Imidazol-4-carbonylamino)-benzyl)-5-(4-methylenoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

10 3-(4-(Imidazol-4-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(3-(Imidazol-4-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

15 3-(4-(Imidazol-4-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Imidazol-4-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

20 2-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(3-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

25 2-(2-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

30 2-(3-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(2-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

35 2-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-6-(3-methoxy-4-trifluor-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-6-(3-methoxy-4-difluor-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

- 2-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-6-(3-methoxy-4-fluor-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-6-(3-difluor-methoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 5 2-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-6-(3-trifluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-6-(3-fluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 10 2-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-6-(3-methoxy-4-ethoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-6-(3-ethoxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 15 2-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-6-(3-hydroxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-6-(4-methylsulfonylphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 20 2-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-6-(4-methylenoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-6-(3-cyclopentyl-oxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 25 2-(3-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-6-(3-cyclopentyl-oxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-phenethyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;
- 30 2-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-phenethyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 35 3-(3-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(2-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

5 3-(3-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(2-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

10 3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3-methoxy-4-trifluor-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3-methoxy-4-difluor-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

15 3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3-methoxy-4-fluor-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3-difluor-methoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

20 3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3-trifluor-methoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3-fluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

25 3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3-methoxy-4-ethoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3-ethoxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

30 3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3-hydroxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(4-methylsulfonylphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(4-methylenoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

35 3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3-cyclopentyl-oxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

- 3-(3-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3-cyclopentyl-oxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 5 3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 10 3-(3-(Imidazol-4-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(2-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 15 3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(3-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 20 3-(2-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3-methoxy-4-trifluor-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 25 3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3-methoxy-4-difluor-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3-methoxy-4-fluor-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 30 3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3-difluor-methoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3-trifluor-methoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 35 3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3-fluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3-methoxy-4-ethoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3-ethoxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3-hydroxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

5

3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(4-methylsulfonylphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(4-methylenoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

10

3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3-cyclopentyl-oxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(3-(2,4-Dimethyl-thiazol-5-carbonylamino)-benzyl)-5-(3-cyclopentyl-oxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

15

3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(2,4-Dimethyl-thiazol-5-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

20

2-(4-(Isoxazol-5-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on, F. 217°;

2-(3-(Isoxazol-5-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

25

2-(2-(Isoxazol-5-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-(Isoxazol-5-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

30

2-(3-(Isoxazol-5-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(2-(Isoxazol-5-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

35

2-(4-(Isoxazol-5-carbonylamino)-benzyl)-6-(3-methoxy-4-trifluor-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-(Isoxazol-5-carbonylamino)-benzyl)-6-(3-methoxy-4-difluor-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

- 2-(4-(Isoxazol-5-carbonylamino)-benzyl)-6-(3-methoxy-4-fluoromethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Isoxazol-5-carbonylamino)-benzyl)-6-(3-difluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 5 2-(4-(Isoxazol-5-carbonylamino)-benzyl)-6-(3-trifluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Isoxazol-5-carbonylamino)-benzyl)-6-(3-fluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 10 2-(4-(Isoxazol-5-carbonylamino)-benzyl)-6-(3-methoxy-4-ethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Isoxazol-5-carbonylamino)-benzyl)-6-(3-ethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 15 2-(4-(Isoxazol-5-carbonylamino)-benzyl)-6-(3-hydroxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Isoxazol-5-carbonylamino)-benzyl)-6-(4-methylsulfonylphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 20 2-(4-(Isoxazol-5-carbonylamino)-benzyl)-6-(4-methylenoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Isoxazol-5-carbonylamino)-benzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 25 2-(3-(Isoxazol-5-carbonylamino)-benzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Isoxazol-5-carbonylamino)-phenethyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;
- 30 2-(4-(Isoxazol-5-carbonylamino)-phenethyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 3-(4-(Isoxazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on, F. 196°;
- 3-(3-(Isoxazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 35 3-(2-(Isoxazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Isoxazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(3-(Isoxazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

5 3-(2-(Isoxazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Isoxazol-5-carbonylamino)-benzyl)-5-(3-methoxy-4-trifluoromethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

10 3-(4-(Isoxazol-5-carbonylamino)-benzyl)-5-(3-methoxy-4-difluoromethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Isoxazol-5-carbonylamino)-benzyl)-5-(3-methoxy-4-fluoromethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

15 3-(4-(Isoxazol-5-carbonylamino)-benzyl)-5-(3-difluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Isoxazol-5-carbonylamino)-benzyl)-5-(3-trifluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

20 3-(4-(Isoxazol-5-carbonylamino)-benzyl)-5-(3-fluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Isoxazol-5-carbonylamino)-benzyl)-5-(3-methoxy-4-ethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

25 3-(4-(Isoxazol-5-carbonylamino)-benzyl)-5-(3-ethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Isoxazol-5-carbonylamino)-benzyl)-5-(3-hydroxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

30 3-(4-(Isoxazol-5-carbonylamino)-benzyl)-5-(4-methylsulfonylphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Isoxazol-5-carbonylamino)-benzyl)-5-(4-methylenoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

35 3-(4-(Isoxazol-5-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(3-(Isoxazol-5-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Isoxazol-5-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-
3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Isoxazol-5-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-
6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

5 3-(4-(Isoxazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-
dihydro-1,3,4-oxadiazin-2-on;

3-(3-(Isoxazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-
3,6-dihydro-1,3,4-oxadiazin-2-on;

10 3-(2-(Isoxazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-
dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Isoxazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-
ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

15 3-(3-(Isoxazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-
ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(2-(Isoxazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-
ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

20 3-(4-(Isoxazol-5-carbonylamino)-benzyl)-5-(3-methoxy-4-trifluor-
methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Isoxazol-5-carbonylamino)-benzyl)-5-(3-methoxy-4-difluor-
methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

25 3-(4-(Isoxazol-5-carbonylamino)-benzyl)-5-(3-methoxy-4-fluor-
methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Isoxazol-5-carbonylamino)-benzyl)-5-(3-difluormethoxy-4-
methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

30 3-(4-(Isoxazol-5-carbonylamino)-benzyl)-5-(3-trifluormethoxy-4-
methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Isoxazol-5-carbonylamino)-benzyl)-5-(3-fluormethoxy-4-
methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

35 3-(4-(Isoxazol-5-carbonylamino)-benzyl)-5-(3-methoxy-4-ethoxy-
phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Isoxazol-5-carbonylamino)-benzyl)-5-(3-ethoxy-4-methoxy-
phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Isoxazol-5-carbonylamino)-benzyl)-5-(3-hydroxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Isoxazol-5-carbonylamino)-benzyl)-5-(4-methylsulfonylphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

5 3-(4-(Isoxazol-5-carbonylamino)-benzyl)-5-(4-methylenoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Isoxazol-5-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

10 3-(3-(Isoxazol-5-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Isoxazol-5-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;

15 3-(4-(Isoxazol-5-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

2-(4-(Oxazol-5-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

20 2-(3-(Oxazol-5-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(2-(Oxazol-5-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

25 2-(4-(Oxazol-5-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(3-(Oxazol-5-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

30 2-(2-(Oxazol-5-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-(Oxazol-5-carbonylamino)-benzyl)-6-(3-methoxy-4-trifluoromethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-(Oxazol-5-carbonylamino)-benzyl)-6-(3-methoxy-4-difluoromethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

35 2-(4-(Oxazol-5-carbonylamino)-benzyl)-6-(3-methoxy-4-fluoromethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-(Oxazol-5-carbonylamino)-benzyl)-6-(3-difluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-(Oxazol-5-carbonylamino)-benzyl)-6-(3-trifluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

5 2-(4-(Oxazol-5-carbonylamino)-benzyl)-6-(3-fluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-(Oxazol-5-carbonylamino)-benzyl)-6-(3-methoxy-4-ethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

10 2-(4-(Oxazol-5-carbonylamino)-benzyl)-6-(3-ethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-(Oxazol-5-carbonylamino)-benzyl)-6-(3-hydroxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

15 2-(4-(Oxazol-5-carbonylamino)-benzyl)-6-(4-methylsulfonylphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-(Oxazol-5-carbonylamino)-benzyl)-6-(4-methylenoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

20 2-(4-(Oxazol-5-carbonylamino)-benzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(3-(Oxazol-5-carbonylamino)-benzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

25 2-(4-(Oxazol-5-carbonylamino)-phenethyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-(Oxazol-5-carbonylamino)-phenethyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

30 3-(4-(Oxazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(3-(Oxazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

35 3-(2-(Oxazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Oxazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(3-(Oxazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(2-(Oxazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

5

3-(4-(Oxazol-5-carbonylamino)-benzyl)-5-(3-methoxy-4-trifluoromethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Oxazol-5-carbonylamino)-benzyl)-5-(3-methoxy-4-difluoromethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

10

3-(4-(Oxazol-5-carbonylamino)-benzyl)-5-(3-methoxy-4-fluoromethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Oxazol-5-carbonylamino)-benzyl)-5-(3-difluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

15

3-(4-(Oxazol-5-carbonylamino)-benzyl)-5-(3-trifluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Oxazol-5-carbonylamino)-benzyl)-5-(3-fluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

20

3-(4-(Oxazol-5-carbonylamino)-benzyl)-5-(3-methoxy-4-ethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Oxazol-5-carbonylamino)-benzyl)-5-(3-ethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

25

3-(4-(Oxazol-5-carbonylamino)-benzyl)-5-(3-hydroxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Oxazol-5-carbonylamino)-benzyl)-5-(4-methylsulfonylphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

30

3-(4-(Oxazol-5-carbonylamino)-benzyl)-5-(4-methylenoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Oxazol-5-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(3-(Oxazol-5-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

35

3-(4-(Oxazol-5-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Oxazol-5-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-
6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Oxazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-
dihydro-1,3,4-oxadiazin-2-on;

5 3-(3-(Oxazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-
dihydro-1,3,4-oxadiazin-2-on;

3-(2-(Oxazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-
dihydro-1,3,4-oxadiazin-2-on;

10 3-(4-(Oxazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-
ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(3-(Oxazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-
ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

15 3-(2-(Oxazol-5-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-
ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Oxazol-5-carbonylamino)-benzyl)-5-(3-methoxy-4-trifluor-
methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

20 3-(4-(Oxazol-5-carbonylamino)-benzyl)-5-(3-methoxy-4-difluor-
methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Oxazol-5-carbonylamino)-benzyl)-5-(3-methoxy-4-fluor-
methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

25 3-(4-(Oxazol-5-carbonylamino)-benzyl)-5-(3-difluormethoxy-4-
methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Oxazol-5-carbonylamino)-benzyl)-5-(3-trifluormethoxy-4-
methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

30 3-(4-(Oxazol-5-carbonylamino)-benzyl)-5-(3-fluormethoxy-4-methoxy-
phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Oxazol-5-carbonylamino)-benzyl)-5-(3-methoxy-4-ethoxy-
phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

35 3-(4-(Oxazol-5-carbonylamino)-benzyl)-5-(3-ethoxy-4-methoxy-
phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Oxazol-5-carbonylamino)-benzyl)-5-(3-hydroxy-4-methoxy-
phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Oxazol-5-carbonylamino)-benzyl)-5-(4-methylsulfonylphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Oxazol-5-carbonylamino)-benzyl)-5-(4-methylenoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

5 3-(4-(Oxazol-5-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(3-(Oxazol-5-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

10 3-(4-(Oxazol-5-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Oxazol-5-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

15 2-(4-(Pyrimidin-2-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(3-(Pyrimidin-2-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

20 2-(2-(Pyrimidin-2-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-(Pyrimidin-2-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

25 2-(3-(Pyrimidin-2-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(2-(Pyrimidin-2-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

30 2-(4-(Pyrimidin-2-carbonylamino)-benzyl)-6-(3-methoxy-4-trifluoromethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-(Pyrimidin-2-carbonylamino)-benzyl)-6-(3-methoxy-4-difluoromethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-(Pyrimidin-2-carbonylamino)-benzyl)-6-(3-methoxy-4-fluoromethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

35 2-(4-(Pyrimidin-2-carbonylamino)-benzyl)-6-(3-difluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-(Pyrimidin-2-carbonylamino)-benzyl)-6-(3-trifluoromethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-(Pyrimidin-2-carbonylamino)-benzyl)-6-(3-fluoromethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

5

2-(4-(Pyrimidin-2-carbonylamino)-benzyl)-6-(3-methoxy-4-ethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-(Pyrimidin-2-carbonylamino)-benzyl)-6-(3-ethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

10

2-(4-(Pyrimidin-2-carbonylamino)-benzyl)-6-(3-hydroxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-(Pyrimidin-2-carbonylamino)-benzyl)-6-(4-methylsulfonylphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

15

2-(4-(Pyrimidin-2-carbonylamino)-benzyl)-6-(4-methylenoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-(Pyrimidin-2-carbonylamino)-benzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

20

2-(3-(Pyrimidin-2-carbonylamino)-benzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-(Pyrimidin-2-carbonylamino)-phenethyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

25

2-(4-(Pyrimidin-2-carbonylamino)-phenethyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

3-(4-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

30

3-(3-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(2-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

35

3-(4-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(3-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

- 3-(2-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(4-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3-methoxy-4-trifluoromethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 5 3-(4-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3-methoxy-4-difluoromethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(4-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3-methoxy-4-fluoromethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 10 3-(4-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3-difluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(4-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3-trifluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 15 3-(4-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3-fluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(4-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3-methoxy-4-ethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 20 3-(4-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3-ethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(4-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3-hydroxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 25 3-(4-(Pyrimidin-2-carbonylamino)-benzyl)-5-(4-methylsulfonylphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(4-(Pyrimidin-2-carbonylamino)-benzyl)-5-(4-methylenoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 30 3-(4-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(3-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 35 3-(4-(Pyrimidin-2-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 3-(4-(Pyrimidin-2-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-
3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(3-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-
3,6-dihydro-1,3,4-oxadiazin-2-on;

5 3-(2-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-
3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-
ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

10 3-(3-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-
ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(2-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-
ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

15 3-(4-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3-methoxy-4-trifluor-
methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3-methoxy-4-difluor-
methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

20 3-(4-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3-methoxy-4-fluor-
methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3-difluormethoxy-4-
methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

25 3-(4-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3-trifluormethoxy-4-
methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3-fluormethoxy-4-
methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

30 3-(4-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3-methoxy-4-ethoxy-
phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3-ethoxy-4-methoxy-
phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3-hydroxy-4-methoxy-
phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

35 3-(4-(Pyrimidin-2-carbonylamino)-benzyl)-5-(4-methylsulfonylphenyl)-
6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

- 3-(4-(Pyrimidin-2-carbonylamino)-benzyl)-5-(4-methylenoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 5 3-(3-(Pyrimidin-2-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-(Pyrimidin-2-carbonylamino)-phenethyl)-5-(3,4-dimethoxy-phenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 10 3-(4-(Pyrimidin-2-carbonylamino)-phenethyl)-5-(3,4-dimethoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 2-(4-(Pyrazol-3-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;
- 15 2-(3-(Pyrazol-3-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(2-(Pyrazol-3-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;
- 20 2-(4-(Pyrazol-3-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(3-(Pyrazol-3-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 25 2-(2-(Pyrazol-3-carbonylamino)-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Pyrazol-3-carbonylamino)-benzyl)-6-(3-methoxy-4-trifluoromethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 30 2-(4-(Pyrazol-3-carbonylamino)-benzyl)-6-(3-methoxy-4-difluoromethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Pyrazol-3-carbonylamino)-benzyl)-6-(3-methoxy-4-fluoromethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 35 2-(4-(Pyrazol-3-carbonylamino)-benzyl)-6-(3-difluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;
- 2-(4-(Pyrazol-3-carbonylamino)-benzyl)-6-(3-trifluormethoxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-(Pyrazol-3-carbonylamino)-benzyl)-6-(3-fluormethoxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-(Pyrazol-3-carbonylamino)-benzyl)-6-(3-methoxy-4-ethoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

5

2-(4-(Pyrazol-3-carbonylamino)-benzyl)-6-(3-ethoxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-(Pyrazol-3-carbonylamino)-benzyl)-6-(3-hydroxy-4-methoxy-phenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

10

2-(4-(Pyrazol-3-carbonylamino)-benzyl)-6-(4-methylsulfonylphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-(Pyrazol-3-carbonylamino)-benzyl)-6-(4-methylenoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

15

2-(4-(Pyrazol-3-carbonylamino)-benzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(3-(Pyrazol-3-carbonylamino)-benzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

20

2-(4-(Pyrazol-3-carbonylamino)-phenethyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-(Pyrazol-3-carbonylamino)-phenethyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

25

3-(4-(Pyrazol-3-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(3-(Pyrazol-3-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

30

3-(2-(Pyrazol-3-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Pyrazol-3-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(3-(Pyrazol-3-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

35

3-(2-(Pyrazol-3-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Pyrazol-3-carbonylamino)-benzyl)-5-(3-methoxy-4-trifluoromethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Pyrazol-3-carbonylamino)-benzyl)-5-(3-methoxy-4-difluoromethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

5

3-(4-(Pyrazol-3-carbonylamino)-benzyl)-5-(3-methoxy-4-fluoromethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Pyrazol-3-carbonylamino)-benzyl)-5-(3-difluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

10

3-(4-(Pyrazol-3-carbonylamino)-benzyl)-5-(3-trifluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Pyrazol-3-carbonylamino)-benzyl)-5-(3-fluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

15

3-(4-(Pyrazol-3-carbonylamino)-benzyl)-5-(3-methoxy-4-ethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Pyrazol-3-carbonylamino)-benzyl)-5-(3-ethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

20

3-(4-(Pyrazol-3-carbonylamino)-benzyl)-5-(3-hydroxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Pyrazol-3-carbonylamino)-benzyl)-5-(4-methylsulfonylphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

25

3-(4-(Pyrazol-3-carbonylamino)-benzyl)-5-(4-methylenoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Pyrazol-3-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

30

3-(3-(Pyrazol-3-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Pyrazol-3-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-(Pyrazol-3-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

35

3-(4-(Pyrazol-3-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(3-(Pyrazol-3-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(2-(Pyrazol-3-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;

5 3-(4-(Pyrazol-3-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(3-(Pyrazol-3-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

10 3-(2-(Pyrazol-3-carbonylamino)-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Pyrazol-3-carbonylamino)-benzyl)-5-(3-methoxy-4-trifluoromethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

15 3-(4-(Pyrazol-3-carbonylamino)-benzyl)-5-(3-methoxy-4-difluoromethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Pyrazol-3-carbonylamino)-benzyl)-5-(3-methoxy-4-fluoromethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

20 3-(4-(Pyrazol-3-carbonylamino)-benzyl)-5-(3-difluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Pyrazol-3-carbonylamino)-benzyl)-5-(3-trifluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

25 3-(4-(Pyrazol-3-carbonylamino)-benzyl)-5-(3-fluormethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Pyrazol-3-carbonylamino)-benzyl)-5-(3-methoxy-4-ethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

30 3-(4-(Pyrazol-3-carbonylamino)-benzyl)-5-(3-ethoxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Pyrazol-3-carbonylamino)-benzyl)-5-(3-hydroxy-4-methoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

3-(4-(Pyrazol-3-carbonylamino)-benzyl)-5-(4-methylsulfonylphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

35 3-(4-(Pyrazol-3-carbonylamino)-benzyl)-5-(4-methylenoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

- 3-(4-(Pyrazol-3-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(3-(Pyrazol-3-carbonylamino)-benzyl)-5-(3-cyclopentyloxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 5 3-(4-(Pyrazol-3-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 3-(4-(Pyrazol-3-carbonylamino)-phenethyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;
- 10 2-(3-Nicotinoylaminobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-2,3,4,5-tetrahydropyridazin-3-on, F. 204°;
- 2-(4-Isonicotinoylaminobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-2,3,4,5-tetrahydropyridazin-3-on, Hydrochlorid F. 252°;
- 15 2-(4-Pyrazincarbonylaminobenzyl)-6-(3-ethoxy-4-methoxyphenyl)-2,3,4,5-tetrahydropyridazin-3-on, F. 202°;
- 2-(4-(Isoxazol-5-carbonylamino)-benzyl)-6-(3-ethoxy-4-methoxyphenyl)-2,3,4,5-tetrahydropyridazin-3-on, F. 192°;
- 20 2-(4-Nicotinoylaminobenzyl)-6-(3-cyclopentyloxy-4-methoxyphenyl)-2,3,4,5-tetrahydropyridazin-3-on, F. 205°
- 2-(4-Nicotinoylaminobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydropyridazin-3-on, Hydrochlorid F. 212°;
- 25 d) Verbindungen, offenbart in EP 0 539 806 B1, ausgewählt aus der Gruppe
- 5-(3-Methoxy-4-difluormethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on, F. 97°;
- 30 5-(3-Methoxy-4-trifluormethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 5-(3-Methoxy-4-trifluormethoxyphenyl)-6-methyl-3,6-dihydro-1,3,4-thiadiazin-2-on;
- 35 5-(3-Methoxy-4-difluormethoxyphenyl)-6-methyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

5-[3-Methoxy-4-(1,1,2,2-tetrafluoroethoxy)-phenyl]-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

5-(3-Methoxy-4-chlormethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

5 5-(3-Methoxy-4-chlormethoxyphenyl)-6-methyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

5-(3-Methoxy-4-pentachlorethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

10 5-(3-Methoxy-4-trifluormethoxyphenyl)-6-propyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

5-(3-Methoxy-4-difluormethoxyphenyl)-6-propyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

15 5-[3-Methoxy-4-(1,1,2,-trifluoroethoxy)-phenyl]-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

5-[3-Methoxy-4-(1,1,2,-trifluoroethoxy)-phenyl]-6-methyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

20 5-(3-Methoxy-4-difluormethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on, F. 120°;

5-(3-Methoxy-4-trifluormethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

5-(4-Trifluormethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

25 5-[3-Methoxy-4-(1,1,2,2-tetrafluoroethoxy)-phenyl]-3,6-dihydro-1,3,4-thiadiazin-2-on;

5-(3-Methoxy-4-chlormethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

30 5-(3-Methoxy-4-trichlormethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

5-(3-Methoxy-4-pentachlorethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

35 5-(4-Difluormethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

5-[3-Methoxy-4-(1,1,2,2,3-pentafluoropropoxy)-phenyl]-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

- 5-[Bis-3,4-(difluormethoxy)-phenyl]-3,6-dihydro-1,3,4-thiadiazin-2-on;
5-[Bis-3,4-(dichlormethoxy)-phenyl]-3,6-dihydro-1,3,4-thiadiazin-2-on;
5-[Bis-3,4-(1,2-difluorethoxy)-phenyl]-3,6-dihydro-1,3,4-thiadiazin-2-on;
5 5-[3-Ethoxy-4-(1,1,2,2,-tetrafluorethoxy)-phenyl]-3,6-dihydro-1,3,4-thiadiazin-2-on;
5-[3-Methoxy-4-(1,2,2,-trichlorethoxy)-phenyl]-3,6-dihydro-1,3,4-thiadiazin-2-on;
10 5-[4-(2,2,2-Trifluorethoxy)-phenyl]-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on, F. 102°;
5-[3-Methoxy-4-(2,2,2-trifluorethoxy)-phenyl]-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on, F. 123-125°;
15 5-[3-Methoxy-4-(2,2,2-trifluorethoxy)-phenyl]-3,6-dihydro-1,3,4-thiadiazin-2-on, F. 120°;
5-[3-(2,2,2-Trifluorethoxy)-4-methoxy-phenyl]-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on, F. 120-121°;
20 5-(3-Difluormethoxy-4-methoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on, F. 105°;
- e) Verbindungen, offenbart in EP 0 618 201 A1, ausgewählt aus der Gruppe
- 25 3-Dimethylaminopropyl-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazinon-2-on, F. 175°;
3-Dimethylaminopropyl-5-(3-methoxy-4-trifluormethoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazinon-2-on;
30 3-Dimethylaminopropyl-5-(3-methoxy-4-difluormethoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazinon-2-on;
3-Dimethylaminopropyl-5-(3-methoxy-4-fluormethoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazinon-2-on;
35 3-Dimethylaminopropyl-5-(4-methoxy-3-difluormethoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazinon-2-on;

3-Dimethylaminopropyl-5-[4-methoxy-3-(2,2,2-trifluoroethoxy)-phenyl]-
6-ethyl-3,6-dihydro-1,3,4-thiadiazinon-2-on;

3-Dimethylaminopropyl-5-(4-methoxy-3-fluormethoxy-phenyl)-6-ethyl-
3,6-dihydro-1,3,4-thiadiazinon-2-on;

5 3-Dimethylaminopropyl-5-(3-methoxy-4-ethoxy-phenyl)-6-ethyl-3,6-
dihydro-1,3,4-thiadiazinon-2-on;

3-Dimethylaminopropyl-5-(4-methoxy-3-ethoxy-phenyl)-6-ethyl-3,6-
dihydro-1,3,4-thiadiazinon-2-on;

10 3-Dimethylaminopropyl-5-(3-methoxy-4-hydroxy-phenyl)-6-ethyl-3,6-
dihydro-1,3,4-thiadiazinon-2-on;

3-Dimethylaminopropyl-5-(3,4-dimethoxy-phenyl)-3,6-dihydro-1,3,4-
thiadiazinon-2-on;

15 2-Dimethylaminoethyl-5-(3,4-dimethoxy-phenyl)-6-ethyl-3,6-dihydro-
1,3,4-thiadiazinon-2-on;

2-Dimethylaminoethyl-5-(3-methoxy-4-trifluormethoxy-phenyl)-6-ethyl-
3,6-dihydro-1,3,4-thiadiazinon-2-on;

20 2-Dimethylaminoethyl-5-(3-methoxy-4-difluormethoxy-phenyl)-6-ethyl-
3,6-dihydro-1,3,4-thiadiazinon-2-on;

2-Dimethylaminoethyl-5-(3-methoxy-4-fluormethoxy-phenyl)-6-ethyl-
3,6-dihydro-1,3,4-thiadiazinon-2-on;

25 2-Dimethylaminoethyl-5-(4-methoxy-3-difluormethoxy-phenyl)-6-ethyl-
3,6-dihydro-1,3,4-thiadiazinon-2-on;

2-Dimethylaminoethyl-5-(4-methoxy-3-fluormethoxy-phenyl)-6-ethyl-
3,6-dihydro-1,3,4-thiadiazinon-2-on;

30 2-Dimethylaminoethyl-5-(3-methoxy-4-ethoxy-phenyl)-6-ethyl-3,6-
dihydro-1,3,4-thiadiazinon-2-on;

2-Dimethylaminoethyl-5-(4-methoxy-3-ethoxy-phenyl)-6-ethyl-3,6-
dihydro-1,3,4-thiadiazinon-2-on;

35 2-Dimethylaminoethyl-5-(4-methoxy-3-hydroxy-phenyl)-6-ethyl-3,6-
dihydro-1,3,4-thiadiazinon-2-on;

3-Morpholinopropyl-5-[3-methoxy-4-(1,1,2,2,3-pentafluoropropoxy)-
phenyl]-6-ethyl-3,6-dihydro-1,3,4-thiadiazinon-2-on;

3-Dimethylaminopropyl-5-[3,4-bis-(difluormethoxy)-phenyl]-3,6-dihydro-1,3,4-thiadiazinon-2-on;

3-Dimethylaminopropyl-5-[3-methoxy-4-(1,1,2-trifluorethoxy)-phenyl]-3,6-dihydro-1,3,4-thiadiazinon-2-on;

5 3-Dimethylaminopropyl-5-[3,4-bis-(chlormethoxy)-phenyl]-3,6-dihydro-1,3,4-thiadiazinon-2-on;

3-Morpholinopropyl-5-(3-methoxy-4-fluormethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazinon-2-on;

10 3-Morpholinopropyl-5-(3-methoxy-4-trifluormethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazinon-2-on;

3-Piperidinopropyl-5-(3-methoxy-4-difluormethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazinon-2-on;

15 3-Morpholinopropyl-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazinon-2-on;

3-Piperidinopropyl-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazinon-2-on;

20 3-Pyrrolidinopropyl-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazinon-2-on;

3-Morpholinopropyl-5-(3-methoxy-4-ethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazinon-2-on;

25 3-Piperidinopropyl-5-(3-methoxy-4-ethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazinon-2-on;

3-Pyrrolidinopropyl-5-(3-methoxy-4-ethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazinon-2-on;

30 3-Morpholinopropyl-5-(4-methoxy-3-ethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazinon-2-on;

3-Piperidinopropyl-5-(4-methoxy-3-ethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazinon-2-on;

35 3-Morpholinopropyl-5-(3-methoxy-4-difluormethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazinon-2-on;

3-Piperidinopropyl-5-(4-methoxy-3-difluormethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazinon-2-on;

3-Piperidinopropyl-5-[3-(2,2,2-trifluorethoxy)-4-methoxyphenyl]-6-ethyl-3,6-dihydro-1,3,4-thiadiazinon-2-on;

3-Morpholinopropyl-5-[3-(2,2,2-trifluorethoxy)-4-methoxyphenyl]-6-ethyl-3,6-dihydro-1,3,4-thiadiazinon-2-on;

5 2-Morpholinoethyl-5-(3-methoxy-4-fluormethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazinon-2-on;

2-Morpholinoethyl-5-(3-methoxy-4-trifluormethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazinon-2-on;

10

f) Verbindungen, offenbart in DE 196 04 388 A1, ausgewählt aus der Gruppe

15 N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-(N,N-diethylamino)-propylester;

N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diethylamino)-ethylester;

20 N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diisopropylamino)-ethylester, Hydrochlorid, F. 218°;

N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-6-(N,N-dimethylamino)-hexylester;

25 N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-dimethylamino)-1-methylethylester;

N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-(1-methyl-4-piperidyl)-ester, F. 183°;

30 N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-(4-hydroxy-1-piperidyl)-ethylester;

N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-morpholino-ethylester;

35 N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-morpholino-propylester;

N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-thiomorpholino-ethylester;

N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-thiomorpholino-propylester;

5 N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-piperazino-ethylester;

N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-piperazino-propylester;

10 N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-pyrrolidino-ethylester;

N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-pyrrolidino-propylester;

15 N-[3-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-(N,N-diethylamino)-propylester, Hydrochlorid, F. 161°;

N-[3-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diethylamino)-ethylester;

20 N-[3-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diisopropylamino)-ethylester;

N-[3-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-6-(N,N-dimethylamino)-hexylester;

25 N-[3-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-dimethylamino)-1-methylethylester;

30 N-[3-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-(1-methyl-4-piperidyl)-ester;

N-[3-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-morpholino-ethylester;

N-[3-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-morpholino-propylester;

35 N-[3-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-thiomorpholino-ethylester;

N-[3-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-thiomorpholino-propylester;

N-[3-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-piperazino-ethylester;

N-[3-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-piperazino-propylester;

N-[3-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-pyrrolidino-ethylester;

N-[3-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-pyrrolidino-propylester;

N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-(N,N-diethylamino)-propylester;

N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diethylamino)-ethylester;

N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diisopropylamino)-ethylester;

N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-6-(N,N-dimethylamino)-hexylester;

N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-dimethylamino)-1-methylethylester;

N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-(1-methyl-4-piperidyl)-ester, F. 153;

N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-morpholino-ethylester;

N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-morpholino-propylester;

N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-thiomorpholino-ethylester;

N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-thiomorpholino-propylester;

5 N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-piperazino-ethylester;

N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-piperazino-propylester;

10 N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-pyrrolidino-ethylester;

N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-pyrrolidino-propylester;

15 N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-6-ethyl-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-(N,N-diethylamino)-propylester;

20 N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-6-ethyl-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diethylamino)-ethylester;

N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-6-ethyl-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diisopropylamino)-ethylester;

25 N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-6-ethyl-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-6-(N,N-dimethylamino)-hexylester;

30 N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-6-ethyl-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-dimethylamino)-1-methyl-ethylester;

N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-6-ethyl-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-(1-methyl-4-piperidyl)-ester;

35 N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-6-ethyl-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-morpholino-ethylester;

N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-6-ethyl-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-morpholino-propylester;

N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-6-ethyl-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-thiomorpholino-ethylester;

5 N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-6-ethyl-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-thiomorpholino-propylester;

10 N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-6-ethyl-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-piperazino-ethylester;

N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-6-ethyl-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-piperazino-propylester;

15 N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-6-ethyl-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-pyrrolidino-ethylester;

N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-6-ethyl-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-pyrrolidino-propylester;

20 N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-6-ethyl-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-(N,N-diethylamino)-propylester;

N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-6-ethyl-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diethylamino)-ethylester;

25 N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-6-ethyl-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diisopropylamino)-ethylester;

30 N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-6-ethyl-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-6-(N,N-dimethylamino)-hexylester;

35 N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-6-ethyl-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-dimethylamino)-1-methyl-ethylester;

N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-6-ethyl-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-(1-methyl-4-piperidyl)-ester;

5 N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-6-ethyl-2-oxo-2H-1,3,4-thia-diazin-3-ylmethyl)-phenyl]-carbaminsäure-2-morpholino-ethylester;

-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-morpholino-propylester;

10 N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-6-ethyl-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-thiomorpholino-ethyl-ester;

15 N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-6-ethyl-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-thiomorpholino-propylester;

20 N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-6-ethyl-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-piperazino-ethylester;

N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-6-ethyl-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-piperazino-propylester;

25 N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-6-ethyl-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-pyrrolidino-ethylester;

30 N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-6-ethyl-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-pyrrolidino-propylester;

N-[4-(3,6-Dihydro-5-(3-cyclopentyloxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-(N,N-diethylamino)-propylester;

35 N-[4-(3,6-Dihydro-5-(3-cyclopentyloxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diethylamino)-ethylester;

N-[4-(3,6-Dihydro-5-(3-cyclopentyloxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diisopropylamino)-ethylester;

5 N-[4-(3,6-Dihydro-5-(3-cyclopentyloxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-6-(N,N-dimethylamino)-hexylester;

10 N-[4-(3,6-Dihydro-5-(3-cyclopentyloxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-dimethylamino)-1-methyl-ethylester;

N-[4-(3,6-Dihydro-5-(3-cyclopentyloxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-(1-methyl-4-piperidyl)-ester;

15 N-[4-(3,6-Dihydro-5-(3-cyclopentyloxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thia-diazin-3-ylmethyl)-phenyl]-carbaminsäure-2-morpholino-ethylester;

20 N-[4-(3,6-Dihydro-5-(3-cyclopentyloxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-morpholino-propylester;

N-[4-(3,6-Dihydro-5-(3-cyclopentyloxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-thiomorpholino-ethyl-ester;

25 N-[4-(3,6-Dihydro-5-(3-cyclopentyloxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-thiomorpholino-propylester;

30 N-[4-(3,6-Dihydro-5-(3-cyclopentyloxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-piperazino-ethylester;

35 N-[4-(3,6-Dihydro-5-(3-cyclopentyloxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-piperazino-propylester;

N-[4-(3,6-Dihydro-5-(3-cyclopentyloxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-pyrrolidino-ethylester;

5 N-[4-(3,6-Dihydro-5-(3-cyclopentyloxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-pyrrolidino-propylester.

10 N-[4-(3,6-Dihydro-5-(3-propoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-(N,N-diethylamino)-propylester;

N-[4-(3,6-Dihydro-5-(3-propoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diethylamino)-ethylester;

15 N-[4-(3,6-Dihydro-5-(3-propoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diisopropylamino)-ethylester;

20 N-[4-(3,6-Dihydro-5-(3-propoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-6-(N,N-dimethylamino)-hexylester;

25 N-[4-(3,6-Dihydro-5-(3-propoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-dimethylamino)-1-methyl-ethylester;

N-[4-(3,6-Dihydro-5-(3-propoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-(1-methyl-4-piperidyl)-ester;

30 N-[4-(3,6-Dihydro-5-(3-propoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-morpholino-ethylester;

N-[4-(3,6-Dihydro-5-(3-propoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-morpholino-propylester;

35 N-[4-(3,6-Dihydro-5-(3-propoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-thiomorpholino-ethylester;

N-[4-(3,6-Dihydro-5-(3-propoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-thiomorpholino-propylester;

5 N-[4-(3,6-Dihydro-5-(3-propoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-piperazino-ethylester;

N-[4-(3,6-Dihydro-5-(3-propoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-piperazino-propylester;

10 N-[4-(3,6-Dihydro-5-(3-propoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-pyrrolidino-ethylester;

N-[4-(3,6-Dihydro-5-(3-propoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-pyrrolidino-propylester;

15 N-[4-(3,6-Dihydro-5-(3-isopropoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-(N,N-diethylamino)-propylester;

N-[4-(3,6-Dihydro-5-(3-isopropoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diethylamino)-ethylester;

20 N-[4-(3,6-Dihydro-5-(3-isopropoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diisopropylamino)-ethylester;

25 N-[4-(3,6-Dihydro-5-(3-isopropoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-6-(N,N-dimethylamino)-hexylester;

30 N-[4-(3,6-Dihydro-5-(3-isopropoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-dimethylamino)-1-methyl-ethylester;

N-[4-(3,6-Dihydro-5-(3-isopropoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-(1-methyl-4-piperidyl)-ester;

35 N-[4-(3,6-Dihydro-5-(3-isopropoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-morpholino-ethylester;

N-[4-(3,6-Dihydro-5-(3-isopropoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-morpholino-propylester;

N-[4-(3,6-Dihydro-5-(3-isopropoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-thiomorpholino-ethylester;

N-[4-(3,6-Dihydro-5-(3-isopropoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-thiomorpholino-propylester;

N-[4-(3,6-Dihydro-5-(3-isopropoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-piperazino-ethylester;

N-[4-(3,6-Dihydro-5-(3-isopropoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-piperazino-propylester;

N-[4-(3,6-Dihydro-5-(3-isopropoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-pyrrolidino-ethylester;

N-[4-(3,6-Dihydro-5-(3-isopropoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-pyrrolidino-propylester;

N-[4-(3,6-Dihydro-5-(3-fluormethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-(N,N-diethylamino)-propylester;

N-[4-(3,6-Dihydro-5-(3-fluormethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diethylamino)-ethylester;

N-[4-(3,6-Dihydro-5-(3-fluormethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diisopropylamino)-ethylester;

N-[4-(3,6-Dihydro-5-(3-fluormethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-6-(N,N-dimethylamino)-hexylester;

N-[4-(3,6-Dihydro-5-(3-fluormethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-dimethylamino)-1-methyl-ethylester;

N-[4-(3,6-Dihydro-5-(3-fluormethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-(1-methyl-4-piperidyl)-ester;

N-[4-(3,6-Dihydro-5-(3-fluormethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thia-diazin-3-ylmethyl)-phenyl]-carbaminsäure-2-morpholino-ethylester;

5 N-[4-(3,6-Dihydro-5-(3-fluormethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-morpholino-propylester;

10 N-[4-(3,6-Dihydro-5-(3-fluormethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-thiomorpholino-ethyl-ester;

N-[4-(3,6-Dihydro-5-(3-fluormethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-thiomorpholino-propylester;

15 N-[4-(3,6-Dihydro-5-(3-fluormethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-piperazino-ethylester;

20 N-[4-(3,6-Dihydro-5-(3-fluormethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-piperazino-propylester;

N-[4-(3,6-Dihydro-5-(3-fluormethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-pyrrolidino-ethylester;

25 N-[4-(3,6-Dihydro-5-(3-fluormethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-pyrrolidino-propylester;

30 N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-morpholino-acetamid;

N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-(N,N-diethylamino)-acetamid;

35 N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-(N,N-diisopropylamino)-acetamid;

N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-thiomorpholino-acetamid;

N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-piperidino-acetamid;

N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-(4-hydroxy-piperidino)-acetamid;

5 N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-piperazino-acetamid;

N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-(4-methyl-piperazino)-acetamid;

10 N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-pyrrolidino-acetamid;

N-[3-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-(4-morpholinyl)-acetamid;

15 N-[3-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-(N,N-diethylamino)-acetamid;

N-[3-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-(N,N-diisopropylamino)-acetamid;

20 N-[3-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-thiomorpholino-acetamid;

N-[3-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-piperidino-acetamid;

25 N-[3-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-(4-hydroxy-piperidino)-acetamid;

N-[3-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-piperazino-acetamid;

30 N-[3-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-(4-methyl-piperazino)-acetamid;

N-[3-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-pyrrolidino-acetamid;

35 N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-(4-morpholinyl)-propionsäureamid;

N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-(N,N-diethylamino)-propionsäureamid;

N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-(N,N-diisopropylamino)-propionsäureamid;

N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-thiomorpholino-propionsäureamid;

5

N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-piperidino-propionsäureamid;

N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-(4-hydroxy-piperidino)-propionsäureamid;

10

N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-piperazino-propionsäureamid;

N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-pyrrolidino-propionsäureamid;

15

N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-(4-morpholiny)-acetamid;

N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-(N,N-diethylamino)-acetamid;

20

N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-(N,N-diisopropylamino)-acetamid;

N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-thiomorpholino-acetamid;

25

N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-piperidino-acetamid;

N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-(4-hydroxy-piperidino)-acetamid;

30

N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-piperazino-acetamid;

N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-pyrrolidino-acetamid;

35

N-[4-(3,6-Dihydro-5-(3-propoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-(4-morpholiny)-acetamid;

N-[4-(3,6-Dihydro-5-(3-propoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-(N,N-diethylamino)-acetamid;

N-[4-(3,6-Dihydro-5-(3-propoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-(N,N-diisopropylamino)-acetamid;

N-[4-(3,6-Dihydro-5-(3-propoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-thiomorpholino-acetamid;

5 N-[4-(3,6-Dihydro-5-(3-propoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-piperidino-acetamid;

N-[4-(3,6-Dihydro-5-(3-propoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-(4-hydroxy-piperidino)-acetamid;

10 N-[4-(3,6-Dihydro-5-(3-propoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-piperazino-acetamid;

N-[4-(3,6-Dihydro-5-(3-propoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-pyrrolidino-acetamid;

15 N-[4-(3,6-Dihydro-5-(3-isopropoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-(4-morpholinyl)-acetamid;

N-[4-(3,6-Dihydro-5-(3-isopropoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-(N,N-diethylamino)-acetamid;

20 N-[4-(3,6-Dihydro-5-(3-isopropoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-(N,N-diisopropylamino)-acetamid;

N-[4-(3,6-Dihydro-5-(3-isopropoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-thiomorpholino-acetamid;

25 N-[4-(3,6-Dihydro-5-(3-isopropoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-piperidino-acetamid;

N-[4-(3,6-Dihydro-5-(3-isopropoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-(4-hydroxy-piperidino)-acetamid;

30 N-[4-(3,6-Dihydro-5-(3-isopropoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-piperazino-acetamid;

N-[4-(3,6-Dihydro-5-(3-isopropoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-pyrrolidino-acetamid;

35 N-[4-(3,6-Dihydro-5-(3-cyclopentyloxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-(4-morpholinyl)-acetamid;

N-[4-(3,6-Dihydro-5-(3-cyclopentyloxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-(N,N-diethylamino)-acetamid;

N-[4-(3,6-Dihydro-5-(3-cyclopentyloxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-(N,N-diisopropylamino)-acetamid;

N-[4-(3,6-Dihydro-5-(3-cyclopentyloxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-thiomorpholino-acetamid;

5 N-[4-(3,6-Dihydro-5-(3-cyclopentyloxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-piperidino-acetamid;

N-[4-(3,6-Dihydro-5-(3-cyclopentyloxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-(4-hydroxy-piperidino)-acetamid;

10 N-[4-(3,6-Dihydro-5-(3-cyclopentyloxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-2-pyrrolidino-acetamid;

N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-(4-morpholinyl)-propionsäureamid;

15 N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-(N,N-diethylamino)-propionsäureamid;

N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-(N,N-diisopropylamino)-propionsäureamid;

20 N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-thiomorpholino-propionsäureamid;

N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-piperidino-propionsäureamid;

25 N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-(4-hydroxy-piperidino)-propionsäureamid;

N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-piperazino-propionsäureamid;

30 N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-pyrrolidino-propionsäureamid;

N-[4-(3,6-Dihydro-5-(3-propoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-(4-morpholinyl)-propionsäureamid;

N-[4-(3,6-Dihydro-5-(3-propoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-(N,N-diethylamino)-propionsäureamid;

35 N-[4-(3,6-Dihydro-5-(3-propoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-(N,N-diisopropylamino)-propionsäureamid;

N-[4-(3,6-Dihydro-5-(3-propoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-thiomorpholino-propionsäureamid;

N-[4-(3,6-Dihydro-5-(3-propoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-piperidino-propionsäureamid;

5

N-[4-(3,6-Dihydro-5-(3-propoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-(4-hydroxy-piperidino)-propionsäureamid;

N-[4-(3,6-Dihydro-5-(3-propoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-piperazino-propionsäureamid;

10

N-[4-(3,6-Dihydro-5-(3-propoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-pyrrolidino-propionsäureamid.

N-[4-(3,6-Dihydro-5-(3-isopropoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-(4-morpholinyl)-propionsäureamid;

15

N-[4-(3,6-Dihydro-5-(3-isopropoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-(N,N-diethylamino)-propionsäureamid;

N-[4-(3,6-Dihydro-5-(3-isopropoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-(N,N-diisopropylamino)-propionsäureamid;

20

N-[4-(3,6-Dihydro-5-(3-isopropoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-thiomorpholino-propionsäureamid;

N-[4-(3,6-Dihydro-5-(3-isopropoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-piperidino-propionsäureamid;

25

N-[4-(3,6-Dihydro-5-(3-isopropoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-(4-hydroxy-piperidino)-propionsäureamid;

N-[4-(3,6-Dihydro-5-(3-isopropoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-piperazino-propionsäureamid;

30

N-[4-(3,6-Dihydro-5-(3-isopropoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-pyrrolidino-propionsäureamid;

N-[4-(3,6-Dihydro-5-(3-cyclopentyloxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-(4-morpholinyl)-propionsäureamid;

35

N-[4-(3,6-Dihydro-5-(3-cyclopentyloxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-(N,N-diethylamino)-propionsäureamid;

N-[4-(3,6-Dihydro-5-(3-cyclopentyloxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-(N,N-diisopropylamino)-propionsäureamid;

5 N-[4-(3,6-Dihydro-5-(3-cyclopentyloxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-thiomorpholino-propionsäureamid;

N-[4-(3,6-Dihydro-5-(3-cyclopentyloxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-piperidino-propionsäureamid;

10 N-[4-(3,6-Dihydro-5-(3-cyclopentyloxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-(4-hydroxy-piperidino)-propionsäureamid;

N-[4-(3,6-Dihydro-5-(3-cyclopentyloxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-piperazino-propionsäureamid;

15 N-[4-(3,6-Dihydro-5-(3-cyclopentyloxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-3-pyrrolidino-propionsäureamid;

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-(N,N-diethylamino)-propylester;

20 N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diethylamino)-ethylester;

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diisopropylamino)-ethylester;

25 N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-6-(N,N-dimethylamino)-hexylester;

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-dimethylamino)-1-methylethylester;

30 N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-(1-methyl-4-piperidyl)-ester;

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-(4-hydroxy-1-piperidyl)-ethylester;

35 N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-morpholino-ethylester;

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-morpholino-propylester;

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-thiomorpholino-ethylester;

5 N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-thiomorpholino-propylester;

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-piperazino-ethylester;

10 N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-piperazino-propylester;

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-pyrrolidino-ethylester;

15 N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-pyrrolidino-propylester.

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-(N,N-diethylamino)-propylester;

20 N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diethylamino)-ethylester;

25 N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diisopropylamino)-ethylester;

30 N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-6-(N,N-dimethylamino)-hexylester;

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-dimethylamino)-1-methyl-ethylester;

35 N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-(1-methyl-4-piperidyl)-ester;

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-morpholino-ethylester;

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-morpholino-propylester;

5

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-thiomorpholino-ethylester;

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-thiomorpholino-propylester;

10

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-piperazino-ethylester;

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-piperazino-propylester;

15

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-pyrrolidino-ethylester;

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-pyrrolidino-propylester.

20

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-5-ethyl-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-(N,N-diethylamino)-
propylester;

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-5-ethyl-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diethylamino)-

25

ethylester;

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-5-ethyl-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diisopropylamino)-
ethylester;

30

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-5-ethyl-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-6-(N,N-dimethylamino)-
hexylester;

35

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-5-ethyl-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-dimethylamino)-1-
methyl-ethylester;

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-5-ethyl-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-(1-methyl-4-piperidyl)-ester;

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-5-ethyl-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-morpholino-ethyl-
5 ter;

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-5-ethyl-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-morpholino-propylester;

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-5-ethyl-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-thiomorpholino-ethylester;

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-5-ethyl-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-thiomorpholino-propylester;

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-5-ethyl-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-piperazino-ethylester;

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-5-ethyl-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-piperazino-propylester;

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-5-ethyl-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-pyrrolidino-ethylester;

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-5-ethyl-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-pyrrolidino-propylester;

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-5-ethyl-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-(N,N-diethylamino)-
25 propylester;

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-5-ethyl-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diethylamino)-
ethylester;

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-5-ethyl-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diisopropylamino)-
ethylester;

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-5-ethyl-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-6-(N,N-dimethylamino)-
35 hexylester;

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-5-ethyl-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-dimethylamino)-1-methyl-ethylester;

5 N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-5-ethyl-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-(1-methyl-4-piperidyl)-ester;

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-5-ethyl-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-morpholino-ethylester;

10 N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-5-ethyl-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-morpholino-propylester;

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-5-ethyl-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-thiomorpholino-ethylester;

15 N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-5-ethyl-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-thiomorpholino-propylester;

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-5-ethyl-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-piperazino-ethylester;

20 N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-5-ethyl-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-piperazino-propylester;

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-5-ethyl-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-pyrrolidino-ethylester;

25 N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-5-ethyl-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-pyrrolidino-propylester;

N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-(N,N-diethyl-amino)-propylester;

30 N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diethyl-amino)-ethylester;

35 N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diisopropylamino)-ethylester;

N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-6-(N,N-dimethylamino)-hexylester;

5 N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-dimethylamino)-1-methyl-ethylester;

10 N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-(1-methyl-4-piperidyl)-ester;

N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-morpholino-ethylester;

15 N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-morpholino-propylester;

20 N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-thiomorpholino-ethylester;

N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-thiomorpholino-propylester;

25 N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-piperazino-ethylester;

30 N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-piperazino-propylester;

35 N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-pyrrolidino-ethylester;

N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-pyrrolidino-propylester;

5 N-[4-(6-(3-Propoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-(N,N-diethylamino)-propylester;

10 N-[4-(6-(3-Propoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diethylamino)-ethylester;

N-[4-(6-(3-Propoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diisopropylamino)-ethylester;

15 N-[4-(6-(3-Propoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-6-(N,N-dimethylamino)-hexylester;

20 N-[4-(6-(3-Propoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-dimethylamino)-1-methyl-ethylester;

N-[4-(6-(3-Propoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-(1-methyl-4-piperidyl)-ester;

25 N-[4-(6-(3-Propoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-morpholino-ethylester;

N-[4-(6-(3-Propoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-morpholino-propylester;

30 N-[4-(6-(3-Propoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-thiomorpholino-ethylester;

N-[4-(6-(3-Propoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-thiomorpholino-propylester;

35 N-[4-(6-(3-Propoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-piperazino-ethylester;

N-[4-(6-(3-Propoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-piperazino-propylester;

N-[4-(6-(3-Propoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-pyrrolidino-ethylester;

N-[4-(6-(3-Propoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-pyrrolidino-propylester;

5 N-[4-(6-(3-Isopropoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-(N,N-diethylamino)-propylester;

10 N-[4-(6-(3-Isopropoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diethylamino)-ethylester;

15 N-[4-(6-(3-Isopropoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diisopropylamino)-ethylester;

N-[4-(6-(3-Isopropoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-6-(N,N-dimethylamino)-hexylester;

20 N-[4-(6-(3-Isopropoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-dimethylamino)-1-methyl-ethylester;

N-[4-(6-(3-Isopropoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-(1-methyl-4-piperidyl)-ester;

25 N-[4-(6-(3-Isopropoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-morpholino-ethylester;

N-[4-(6-(3-Isopropoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-morpholino-propylester;

30 N-[4-(6-(3-Isopropoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-thiomorpholino-ethylester;

N-[4-(6-(3-Isopropoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-thiomorpholino-propylester;

35 N-[4-(6-(3-Isopropoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-piperazino-ethylester;

N-[4-(6-(3-Isopropoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-piperazino-propylester;

N-[4-(6-(3-Isopropoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-pyrrolidino-ethylester;

5 N-[4-(6-(3-Isopropoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-pyrrolidino-propylester;

N-[4-(6-(3-Fluormethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-(N,N-diethylamino)-
10 propylester;

N-[4-(6-(3-Fluormethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diethylamino)-
ethylester;

15 N-[4-(6-(3-Fluormethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-diisopropylamino)-
ethylester;

N-[4-(6-(3-Fluormethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-6-(N,N-dimethylamino)-
20 hexylester;

N-[4-(6-(3-Fluormethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-(N,N-dimethylamino)-1-
methyl-ethylester;

25 N-[4-(6-(3-Fluormethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-(1-methyl-4-piperidyl)-ester;

N-[4-(6-(3-Fluormethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-morpholino-ethylester;

30 N-[4-(6-(3-Fluormethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-morpholino-propylester;

N-[4-(6-(3-Fluormethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-thiomorpholino-ethylester;

35 N-[4-(6-(3-Fluormethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-thiomorpholino-propylester;

N-[4-(6-(3-Fluormethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-piperazino-ethylester;

N-[4-(6-(3-Fluormethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-piperazino-propylester;

5 N-[4-(6-(3-Fluormethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-2-pyrrolidino-ethylester;

N-[4-(6-(3-Fluormethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-pyrrolidino-propylester.

10 N-[4-(6-(3-ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-(4-morpholinyl)-acetamid, F. 150°;

15 N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-(N,N-diethylamino)-acetamid;

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-(N,N-diisopropylamino)-acetamid;

20 N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-thiomorpholino-acetamid;

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-piperidino-acetamid;

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-(4-hydroxy-piperidino)-acetamid;

25 N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-piperazino-acetamid;

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-pyrrolidino-acetamid;

30 N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-(4-morpholinyl)-acetamid;

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-(N,N-diethylamino)-acetamid;

35 N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-(N,N-diisopropylamino)-acetamid;

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-thiomorpholino-acetamid;

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-piperidino-acetamid;

5 N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-(4-hydroxy-piperidino)-acetamid;

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-piperazino-acetamid;

10 N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-pyrrolidino-acetamid;

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-3-(4-morpholinyl)-propionsäureamid;

15 N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-3-(N,N-diethylamino)-propionsäureamid;

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-3-(N,N-diisopropylamino)-propionsäureamid;

20 N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-3-thiomorpholino-propionsäureamid;

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-3-piperidino-propionsäureamid;

25 N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-3-(4-hydroxy-piperidino)-propionsäureamid;

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-3-piperazino-propionsäureamid;

30 N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-3-pyrrolidino-propionsäureamid;

N-[4-(6-(3-Propoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-(4-morpholinyl)-acetamid;

35 N-[4-(6-(3-Propoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-(N,N-diethylamino)-acetamid;

N-[4-(6-(3-Propoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-(N,N-diisopropylamino)-acetamid;

N-[4-(6-(3-Propoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-thiomorpholino-acetamid;

N-[4-(6-(3-Propoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-piperidino-acetamid;

5

N-[4-(6-(3-Propoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-(4-hydroxy-piperidino)-acetamid;

N-[4-(6-(3-Propoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-2-piperazino-acetamid;

10

N-[4-(6-(3-Propoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-pyrrolidino-acetamid;

N-[4-(6-(3-Isopropoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-(4-morpholinyl)-acetamid;

15

N-[4-(6-(3-Isopropoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-(N,N-diethylamino)-acetamid;

N-[4-(6-(3-Isopropoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-(N,N-diisopropylamino)-acetamid;

20

N-[4-(6-(3-Isopropoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-thiomorpholino-acetamid;

N-[4-(6-(3-Isopropoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-piperidino-acetamid;

N-[4-(6-(3-Isopropoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-(4-hydroxy-piperidino)-acetamid;

25

N-[4-(6-(3-Isopropoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-2-piperazino-acetamid;

N-[4-(6-(3-Isopropoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-pyrrolidino-acetamid;

30

N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-(4-morpholinyl)-acetamid;

N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-(N,N-diethylamino)-acetamid;

35

N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-(N,N-diisopropylamino)-acetamid;

5 N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-thiomorpholino-acetamid;

N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-piperidino-acetamid;

10 N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-(4-hydroxy-piperidino)-acetamid;

N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-2-piperazino-acetamid;

15 N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-pyrrolidino-acetamid;

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-3-(4-morpholinyl)-propionsäureamid;

20 N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-3-(N,N-diethylamino)-propionsäureamid;

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-3-(N,N-diisopropylamino)-propionsäureamid;

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-3-thiomorpholino-propionsäure amid;

25 N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-3-piperidino-propionsäureamid;

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-3-(4-hydroxy-piperidino)-propion-säureamid;

30 N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-3-piperazino-propionsäureamid;

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-3-pyrrolidino-propionsäureamid;

35 N-[4-(6-(3-Propoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-3-(4-morpholinyl)-propionsäureamid;

N-[4-(6-(3-Propoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-3-(N,N-diethylamino)-propionsäureamid;

N-[4-(6-(3-Propoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-3-(N,N-diisopropylamino)-propionsäureamid;

5

N-[4-(6-(3-Propoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-3-thiomorpholino-propionsäureamid;

N-[4-(6-(3-Propoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-3-piperidino-propionsäureamid;

10

N-[4-(6-(3-Propoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-3-(4-hydroxy-piperidino)-propion-säureamid;

N-[4-(6-(3-Propoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-3-piperazino-propionsäureamid;

15

N-[4-(6-(3-Propoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-3-pyrrolidino-propionsäureamid;

N-[4-(6-(3-Isopropoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-3-(4-morpholiny)-propionsäureamid;

20

N-[4-(6-(3-Isopropoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-3-(N,N-diethylamino)-propionsäureamid;

N-[4-(6-(3-Isopropoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-3-(N,N-diisopropylamino)-propionsäureamid;

25

N-[4-(6-(3-Isopropoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-3-thiomorpholino-propionsäureamid;

N-[4-(6-(3-Isopropoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-3-piperidino-propionsäureamid;

30

N-[4-(6-(3-Isopropoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-3-(4-hydroxy-piperidino)-propionsäureamid;

N-[4-(6-(3-Isopropoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-3-piperazino-propionsäureamid;

N-[4-(6-(3-Isopropoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-
pyridazin-2-ylmethyl)-phenyl]-3-pyrrolidino-propionsäureamid;

35

N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetra-
hydro-pyridazin-2-ylmethyl)-phenyl]-3-(4-morpholiny)-propionsäureamid;

N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-3-(N,N-diethylamino)-propionsäureamid;

5 N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-3-(N,N-diisopropylamino)-propionsäureamid;

N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-3-thiomorpholino-propionsäureamid;

10 N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-3-piperidino-propionsäureamid;

N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-3-(4-hydroxy-piperidino)-propionsäureamid;

15 N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-3-piperazino-propionsäureamid;

N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-3-pyrrolidino-propionsäureamid;

20 N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-(N,N-diethylamino)-propylester;

und/oder ihrer physiologisch unbedenklichen Salze zur Herstellung eines Arzneimittels zur Behandlung von Osteoporose, Tumoren, Tumormetastasen, Atherosklerose, rheumatoide Arthritis, multiple Sklerose, Diabetes mellitus, ulzerative Kolitis und AIDS.

30 Gegenstand der Erfindung ist insbesondere die Verwendung von

a) Verbindungen, offenbart in EP 0 738 715 A2, ausgewählt aus der Gruppe

2-(4-Ethoxycarbonylaminobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

35 2-(3-Methylsulfonamidobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(3-Acetamidobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-Trifluoracetamidobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

5 2-(4-Ethoxycarbonylaminobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-Methoxycarbonylaminobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

10 2-(4-Butyrylaminobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

b) Verbindungen, offenbart in EP 0 723 962 B1, ausgewählt aus der Gruppe

15 3-(4-Nitrobenzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-Aminobenzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

20 3-(4-Trifluoroacetamidobenzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-Acetamidobenzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

25 3-(4-Methoxybenzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-one;

3-(2,6-Dichlorobenzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

30 c) Verbindungen, offenbart in EP 0 763 534 A1, ausgewählt aus der Gruppe

3-(4-Picolinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

35 3-(4-Picolinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-Nicotinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-Isonicotinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-Nicotinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-oxadiazin-2-on;

5 2-(4-Nicotinoylamino-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

d) Verbindungen, offenbart in EP 0 539 806 B1, ausgewählt aus der Gruppe

10 5-(3-Methoxy-4-difluormethoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazin-2-on;

5-(3-Methoxy-4-difluormethoxy-phenyl)-3,6-dihydro-1,3,4-thiadiazin-2-on;

15 e) Verbindungen, offenbart in EP 0 618 201 A1, ausgewählt aus der Gruppe

3-Dimethylaminopropyl-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazinon-2-on;

20 3-Dimethylaminopropyl-5-(3,4-dimethoxyphenyl)-3,6-dihydro-1,3,4-thiadiazinon-2-on;

3-Dimethylaminoethyl-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazinon-2-on;

25 3-Piperidinopropyl-5-(3-methoxy-4-difluormethoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazinon-2-on;

3-Morpholinopropyl-5-(3-methoxy-4-difluormethoxy-phenyl)-6-ethyl-3,6-dihydro-1,3,4-thiadiazinon-2-on;

30 f) Verbindungen, offenbart in DE 196 04 388 A1, ausgewählt aus der Gruppe

N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-(N,N-diethylamino)-propylester;

35 N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-(N,N-diethylamino)-propylester;

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-(N,N-diethyl-amino)-propylester;

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-(N,N-diethylamino)-propylester;

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-(4-methylpiperazino)-acetamid;

N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-(4-methylpiperazino)-acetamid;

N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-(4-methyl-piperazino)-acetamid;

und/oder ihrer physiologisch unbedenklichen Salze zur Herstellung eines Arzneimittels zur Behandlung von Osteoporose, Tumoren, Tumormetastasen, Atherosklerose, rheumatoide Arthritis, multiple Sklerose, Diabetes mellitus, ulzerative Kolitis und AIDS.


Patentansprüche

1. Verwendung von

5

a) Verbindungen der Formel I, offenbart in EP 0 738 715 A2,

10



15

worin

R^1 und R^2

jeweils unabhängig voneinander H oder A,

R^3 und R^4

jeweils unabhängig voneinander -OH, -OR¹⁰, -S-R¹⁰,
-SO-R¹⁰, -SO₂-R¹⁰, Hal, Methylendioxy, -NO₂, -NH₂,
-NHR¹⁰ oder -NR¹⁰R¹¹,

20

R^5

einen unsubstituierten oder ein- oder zweifach durch R^6
und/oder R^7 substituierten Phenylrest,

Q

fehlt oder Alkylen mit 1-6 C-Atomen,

R^6 und R^7

jeweils unabhängig voneinander -NH₂, -NR⁸R⁹, -NHR¹⁰,
-NR¹⁰R¹¹, -NO₂, Hal, -CN, -OA, -COOH oder -COOA,

25

R^8 und R^9

jeweils unabhängig voneinander H, Acyl mit 1-8 C-
Atomen, das durch 1-5 F- und/oder Cl-Atome substitu-
iert sein kann, -COOA, -SO-A, -SO₂A,
-CONH₂, -CONHA, -CONA₂, -CO-COOH, -CO-COOA,
-CO-CONH₂, -CO-CONHA oder -CO-CONA₂,

30

A

Alkyl mit 1 bis 6 C-Atomen, das durch 1-5 F- und/oder
Cl-Atome substituiert sein kann,

35

- 127 -


R^{10} und R^{11} jeweils unabhängig voneinander A, Cycloalkyl mit 3-7 C-Atomen, Methylencycloalkyl mit 4-8 C-Atomen oder Alkenyl mit 2-8 C-Atomen

und

Hal F, Cl, Br oder I

bedeuten,

b) Verbindungen der Formel I, offenbart in EP 0 723 962 B1,



worin

R^1 und R^2 jeweils unabhängig voneinander H oder A,

R^3 und R^4 jeweils unabhängig voneinander -OH, -OR¹⁰, -S-R¹⁰, -SO-R¹⁰, -SO₂-R¹⁰, Hal, Methylendioxy, -NO₂, -NH₂, -NHR¹⁰ oder -NR¹⁰R¹¹,

R^5 einen unsubstituierten oder ein- oder zweifach durch R⁶ und/oder R⁷ substituierten Phenylrest,

Q fehlt oder Alkylen mit 1-6 C-Atomen,

R^6 und R^7 jeweils unabhängig voneinander -NH₂, -NR⁸R⁹, -NHR¹⁰, -NR¹⁰R¹¹, -NO₂, Hal, -CN, -OA, -COOH oder -COOA,

R^8 und R^9 jeweils unabhängig voneinander H, Acyl mit 1-8 C-Atomen, das durch 1-5 F- und/oder Cl-Atome substituiert sein kann, -COOA, -SO-A, -SO₂A, -CONH₂, -CONHA, -CONA₂, -CO-COOH, -CO-COOA, -CO-CONH₂, -CO-CONHA oder -CO-CONA₂,

- 128 -

A Alkyl mit 1 bis 6 C-Atomen, das durch 1-5 F- und/oder Cl-Atome substituiert sein kann,


R¹⁰ und R¹¹ jeweils unabhängig voneinander A, Cycloalkyl mit 3-7 C-Atomen, Methylencycloalkyl mit 4-8 C-Atomen oder Alkenyl mit 2-8 C-Atomen

und

Hal F, Cl, Br oder I

bedeuten,

c) Verbindungen der Formel I, offenbart in EP 0 763 534 A1,



worin

B einen aromatischen Heterocyclus mit 1 bis 4 N-, O- und/oder S-Atomen, über N oder C gebunden, der unsubstituiert oder ein-, zwei- oder dreifach durch Hal, A und/oder OA substituiert sein kann, und auch an einen Benzol- oder Pyridinring kondensiert sein kann,

Q fehlt oder Alkylen mit 1-6 C-Atomen,

X CH₂, S oder O,

R¹ und R² jeweils unabhängig voneinander H oder A,


R³ und R⁴ jeweils unabhängig voneinander -OH, OR⁵, -S-R⁵, -SO-R⁵, -SO₂-R⁵, Hal, Methylendioxy, -NO₂, -NH₂, -NHR⁵ oder -NR⁵R⁶,

R⁵ und R⁶ jeweils unabhängig voneinander A, Cycloalkyl mit 3-7

- 129 -

C-Atomen, Methylencycloalkyl mit 4-8 C-Atomen oder
 Alkenyl mit 2-8 C-Atomen,
 A Alkyl mit 1 bis 10 C-Atomen, das durch 1 bis 5 F-
 und/oder Cl-Atome substituiert sein kann und
 Hal F, Cl, Br oder I
 bedeuten,

d) Verbindungen der Formel I, offenbart in EP 0 539 806 B1,



worin

R^1 und R^2 jeweils unabhängig voneinander H oder A,

R^3 H, OA oder $O-C_mH_{2m+1-n}X_n$,

R^4 $-O-C_mH_{2m+1-n}X_n$,

X F oder Cl,


A Alkyl mit 1-6 C-Atomen,

m 1, 2, 3, 4, 5 oder 6 und

n 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12 oder 13

bedeuten,

e) Verbindungen der Formel I, offenbart in EP 0 618 201 A1,



- 130 -

worin

R^1 und R^2 jeweils unabhängig voneinander H oder A,

R^3 und R^4 jeweils unabhängig voneinander OH, OA, SA, SOA, SO₂A, Hal, Methylendioxy, Cycloalkyloxy mit 3-7 C-Atomen oder O-C_mH_{2m+1-k}F_k,

R^5 -NR⁶R⁷ oder $\text{-(CH}_2\text{)}_n$,

wobei eine CH₂-Gruppe auch durch Sauerstoff ersetzt sein kann,

R^6 und R^7 jeweils unabhängig voneinander H oder A,

Q Alkylen mit 1-6 C-Atomen,

A Alkyl mit 1-6 C-Atomen,

Hal F, Cl, Br oder I,


m 1, 2, 3, 4, 5 oder 6,

n 3, 4, 5 oder 6,

k 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12 oder 13

bedeuten,

f) Verbindungen der Formel I, offenbart in DE 196 04 388 A1,



worin

R^1 und R^2 jeweils unabhängig voneinander H oder A,

R^3 und R^4 jeweils unabhängig voneinander -OH, OA, -S-A, -SO-A, -SO₂-A, Hal, Methylendioxy, -NO₂, -NH₂,

-NHA oder -NAA',

A und A' jeweils unabhängig voneinander Alkyl mit 1 bis 10 C-Atomen, das durch 1 bis 5 F- und/oder Cl-Atome substituiert sein kann, Cycloalkyl mit 3-7 C-Atomen oder Methylcycloalkyl mit 4-8 C-Atomen,

B $-Y-R^5$ oder $-O-Y-R^5$,

Q fehlt oder Alkylen mit 1-4 C-Atomen,

Y fehlt oder Alkylen mit 1-10 C-Atomen,

X CH₂ oder S,

R⁵ NH₂, NHA, NAA' oder einen unsubstituierten oder einfach durch A oder OH substituierten gesättigten 3-8-gliedrigen Heterocyclus mit mindestens einem N-Atom, worin zusätzlich weitere CH₂-Gruppen durch NH, NA, S oder O ersetzt sein können,

Hal F, Cl, Br oder I

bedeuten,

und/oder ihrer physiologisch unbedenklichen Salze zur Herstellung eines Arzneimittels zur Behandlung von Osteoporose, Tumoren, Tumormetastasen, Atherosklerose, rheumatoide Arthritis, multiple Sklerose, Diabetes mellitus, ulzerative Kolitis und AIDS.

2. Verwendung nach Anspruch 1 von

a) Verbindungen, offenbart in EP 0 738 715 A2, ausgewählt aus der Gruppe

2-(4-Ethoxycarbonylaminobenzyl)-6-(3,4-dimethoxyphenyl)-
2,3,4,5-tetrahydro-pyridazin-3-on;

2-(3-Methylsulfonamidobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(3-Acetamidobenzyl)-6-(3,4-dimethoxyphenyl)-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-Trifluoroacetamidobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-Ethoxycarbonylaminobenzyl)-6-(3,4-dimethoxyphenyl)-5-
ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

5 2-(4-Methoxycarbonylaminobenzyl)-6-(3,4-dimethoxyphenyl)-5-
ethyl-2,3,4,5-tetrahydro-pyridazin-3-on;

2-(4-Butyrylaminobenzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydro-pyridazin-3-on;

10 b) Verbindungen, offenbart in EP 0 723 962 B1, ausgewählt aus der
Gruppe

3-(4-Nitrobenzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-
1,3,4-thiadiazin-2-on;

15 3-(4-Aminobenzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-dihydro-
1,3,4-thiadiazin-2-on;

3-(4-Trifluoroacetamidobenzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-
3,6-dihydro-1,3,4-thiadiazin-2-on;

20 3-(4-Acetamidobenzyl)-5-(3,4-dimethoxyphenyl)-3,6-dihydro-
1,3,4-thiadiazin-2-on;

3-(4-Methoxybenzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-
dihydro-1,3,4-thiadiazin-2-one;

25 3-(2,6-Dichlorobenzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-
dihydro-1,3,4-thiadiazin-2-on;

c) Verbindungen, offenbart in EP 0 763 534 A1, ausgewählt aus der
Gruppe

30 3-(4-Picolinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-
3,6-dihydro-1,3,4-thiadiazin-2-on;

3-(4-Picolinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-
dihydro-1,3,4-thiadiazin-2-on;

3-(4-Nicotinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-
dihydro-1,3,4-thiadiazin-2-on;

35 3-(4-Isonicotinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-3,6-
dihydro-1,3,4-thiadiazin-2-on;

3-(4-Nicotinoylamino-benzyl)-5-(3,4-dimethoxyphenyl)-6-ethyl-
3,6-dihydro-1,3,4-oxadiazin-2-on;

2-(4-Nicotinoylamino-benzyl)-6-(3,4-dimethoxyphenyl)-5-ethyl-
2,3,4,5-tetrahydro-pyridazin-3-on;

- 5 d) Verbindungen, offenbart in EP 0 539 806 B1, ausgewählt aus der Gruppe

5-(3-Methoxy-4-difluormethoxy-phenyl)-6-ethyl-3,6-dihydro-
1,3,4-thiadiazin-2-on;

- 10 5-(3-Methoxy-4-difluormethoxy-phenyl)-3,6-dihydro-1,3,4-
thiadiazin-2-on;

- e) Verbindungen, offenbart in EP 0 618 201 A1, ausgewählt aus der Gruppe

- 15 3-Dimethylaminopropyl-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-
dihydro-1,3,4-thiadiazinon-2-on;

3-Dimethylaminopropyl-5-(3,4-dimethoxyphenyl)-3,6-dihydro-
1,3,4-thiadiazinon-2-on;

- 20 3-Dimethylaminoethyl-5-(3,4-dimethoxyphenyl)-6-ethyl-3,6-
dihydro-1,3,4-thiadiazinon-2-on;

3-Piperidinopropyl-5-(3-methoxy-4-difluormethoxy-phenyl)-6-
ethyl-3,6-dihydro-1,3,4-thiadiazinon-2-on;

- 25 3-Morpholinopropyl-5-(3-methoxy-4-difluormethoxy-phenyl)-6-
ethyl-3,6-dihydro-1,3,4-thiadiazinon-2-on;

- f) Verbindungen, offenbart in DE 196 04 388 A1, ausgewählt aus der Gruppe

- 30 N-[4-(3,6-Dihydro-5-(3,4-dimethoxyphenyl)-2-oxo-2H-1,3,4-
thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-(N,N-diethylamino)-
propylester;

- 35 N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-
1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-3-(N,N-diethyl-
amino)-propylester;

N-[4-(6-(3,4-Dimethoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-(N,N-diethyl-amino)-propylester;

5

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-carbaminsäure-3-(N,N-diethylamino)-propylester;

10

N-[4-(6-(3-Ethoxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-(4-methylpiperazino)-acetamid;

N-[4-(6-(3-Cyclopentyloxy-4-methoxyphenyl)-3-oxo-2,3,4,5-tetrahydro-pyridazin-2-ylmethyl)-phenyl]-2-(4-methylpiperazino)-acetamid;

15

N-[4-(3,6-Dihydro-5-(3-ethoxy-4-methoxyphenyl)-2-oxo-2H-1,3,4-thiadiazin-3-ylmethyl)-phenyl]-carbaminsäure-2-(4-methylpiperazino)-acetamid;

20

und/oder ihrer physiologisch unbedenklichen Salze zur Herstellung eines Arzneimittels zur Behandlung von Osteoporose, Tumoren, Tumormetastasen, Atherosklerose, rheumatoide Arthritis, multiple Sklerose, Diabetes mellitus, ulzerative Kolitis und AIDS.

25

3. Verwendung nach Anspruch 1 oder 2 zur Herstellung eines Arzneimittels zur Behandlung neoplastischer Schädigungen.

30

4. Verwendung nach Anspruch 1 oder 2 zur Herstellung eines Arzneimittels zur Behandlung präcancerogener Schädigungen.

35

5. Verwendung nach Anspruch 1 oder 2 zur Herstellung eines Arzneimittels zur Regulierung von Apoptose in menschlichen Zellen.

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A61K31/50 A61K31/54 A61K31/535 A61P19/10 A61P35/00
A61P37/00 A61P3/10

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A61K A61P

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, CHEM ABS Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	EP 0 738 715 A (MERCK PATENT GMBH) 23 October 1996 (1996-10-23) cited in the application page 2, line 1-57 page 7, line 22-26; claims 7-10 ---	1-5
Y	EP 0 723 962 A (MERCK PATENT GMBH) 31 July 1996 (1996-07-31) cited in the application page 2, line 1-52 page 6, line 11-13; claims 7,8 ---	1-5
Y	EP 0 763 534 A (MERCK PATENT GMBH) 19 March 1997 (1997-03-19) cited in the application page 2, line 1-54 page 6, line 57 -page 7, line 2; claims 7-10 --- -/--	1-5

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *G* document member of the same patent family

Date of the actual completion of the international search

9 January 2003

Date of mailing of the international search report

20/01/2003

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Friederich, M

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	EP 0 539 806 A (MERCK PATENT GMBH) 5 May 1993 (1993-05-05) cited in the application page 2, line 1-41; claims 6,7 page 4, line 53-55 ---	1-5
Y	EP 0 618 201 A (MERCK PATENT GMBH) 5 October 1994 (1994-10-05) cited in the application page 2, line 1-57 page 6, line 41-43; claims 7,8 ---	1-5
Y	DE 196 04 388 A (MERCK PATENT GMBH) 14 August 1997 (1997-08-14) cited in the application page 2, line 1-48 page 6, line 66 -page 7, line 2; claims 7-10 ---	1-5
Y	DYKE H J ET AL: "THE THERAPEUTIC POTENTIAL OF PDE4 INHIBITORS" EXPERT OPINION ON INVESTIGATIONAL DRUGS, ASHLEY PUBLICATIONS LTD., LONDON, GB, vol. 8, no. 9, 1999, pages 1301-1325, XP001096074 ISSN: 1354-3784 * Kapitel 2-10 * ---	1-5
Y	EP 0 779 291 A (BAYER AG) 18 June 1997 (1997-06-18) cited in the application page 8, line 33-52 ---	1-5
Y	WO 95 35281 A (CELLTECH THERAPEUTICS LTD) 28 December 1995 (1995-12-28) cited in the application page 19, line 34 -page 21, line 11 -----	1-5

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0738715	A	23-10-1996	DE 19514568 A1	24-10-1996
			AU 705025 B2	13-05-1999
			AU 5071196 A	31-10-1996
			CA 2174472 A1	21-10-1996
			CN 1142493 A	12-02-1997
			CZ 9601132 A3	13-11-1996
			EP 0738715 A2	23-10-1996
			HU 9601034 A2	30-12-1996
			JP 8291145 A	05-11-1996
			NO 961578 A	21-10-1996
			RU 2159236 C2	20-11-2000
			SK 48796 A3	05-02-1997
			TW 475927 B	11-02-2002
			US 2002111356 A1	15-08-2002
			US 6399611 B1	04-06-2002
			ZA 9603154 A	06-12-1996
EP 0723962	A	31-07-1996	DE 19502699 A1	01-08-1996
			AT 202775 T	15-07-2001
			AU 705639 B2	27-05-1999
			AU 4211196 A	08-08-1996
			CA 2168193 A1	29-07-1996
			CZ 9600251 A3	14-08-1996
			DE 59607188 D1	09-08-2001
			DK 723962 T3	29-10-2001
			EP 0723962 A1	31-07-1996
			ES 2160184 T3	01-11-2001
			GR 3036343 T3	30-11-2001
			HU 73981 A2	28-10-1996
			JP 8231522 A	10-09-1996
			NO 960352 A	29-07-1996
			PL 312489 A1	05-08-1996
			PT 723962 T	31-10-2001
			RU 2161613 C2	10-01-2001
			SI 723962 T1	31-12-2001
			SK 12396 A3	01-10-1996
			US 6025354 A	15-02-2000
			US 5747489 A	05-05-1998
			ZA 9600630 A	15-08-1996
EP 0763534	A	19-03-1997	DE 19533975 A1	20-03-1997
			AU 716113 B2	17-02-2000
			AU 6551796 A	20-03-1997
			BR 9603736 A	26-05-1998
			CA 2185397 A1	15-03-1997
			CN 1157287 A	20-08-1997
			CZ 9602630 A3	18-03-1998
			EP 0763534 A1	19-03-1997
			HU 9602511 A2	28-03-1997
			JP 9124611 A	13-05-1997
			NO 963852 A	17-03-1997
			PL 316070 A1	17-03-1997
			RU 2167159 C2	20-05-2001
			SK 110096 A3	06-08-1997
			US 5859008 A	12-01-1999
			ZA 9607766 A	26-03-1997
EP 0539806	A	05-05-1993	DE 4134893 A1	29-04-1993

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0539806	A		AT 116644 T	15-01-1995
			AU 653444 B2	29-09-1994
			AU 2723192 A	29-04-1993
			CA 2081049 A1	24-04-1993
			CZ 9202636 A3	12-05-1993
			DE 59201148 D1	16-02-1995
			DK 539806 T3	13-03-1995
			EP 0539806 A1	05-05-1993
			ES 2066540 T3	01-03-1995
			HU 67938 A2	29-05-1995
			JP 3193789 B2	30-07-2001
			JP 5222017 A	31-08-1993
			MX 9206042 A1	01-04-1993
			NO 924098 A	26-04-1993
			PL 296314 A2	04-05-1993
			US 5276027 A	04-01-1994
			ZA 9208236 A	06-05-1993
EP 0618201	A	05-10-1994	DE 4310699 A1	06-10-1994
			AU 675488 B2	06-02-1997
			AU 5798394 A	06-10-1994
			CA 2120301 A1	02-10-1994
			CN 1101644 A	19-04-1995
			CZ 9400705 A3	15-12-1994
			EP 0618201 A1	05-10-1994
			HU 70543 A2	30-10-1995
			JP 7002812 A	06-01-1995
			NO 941150 A	03-10-1994
			SK 38594 A3	07-12-1994
			US 5434149 A	18-07-1995
DE 19604388	A	14-08-1997	DE 19604388 A1	14-08-1997
EP 0779291	A	18-06-1997	AT 206709 T	15-10-2001
			CA 2192281 A1	12-06-1997
			DE 69615802 D1	15-11-2001
			DE 69615802 T2	04-04-2002
			DK 779291 T3	21-01-2002
			EP 0779291 A1	18-06-1997
			ES 2161955 T3	16-12-2001
			JP 9202785 A	05-08-1997
			PT 779291 T	28-02-2002
			US 5922740 A	13-07-1999
WO 9535281	A	28-12-1995	AU 707472 B2	08-07-1999
			AU 2746195 A	15-01-1996
			CA 2192643 A1	28-12-1995
			CN 1151732 A	11-06-1997
			CZ 9603730 A3	13-08-1997
			EP 0770065 A1	02-05-1997
			FI 965126 A	19-12-1996
			WO 9535281 A1	28-12-1995
			GB 2302692 A ,B	29-01-1997
			HU 76803 A2	28-11-1997
			JP 10503173 T	24-03-1998
			NO 965524 A	20-12-1996
			NZ 288294 A	28-01-1999
			SK 163096 A3	08-10-1997

Form PCT/ISA/210 (patent family annex) (July 1992)

A. KLASSIFIZIERUNG DES ANMELDUNGSGEGENSTANDES

IPK 7 A61K31/50 A61K31/54 A61K31/535 A61P19/10 A61P35/00
A61P37/00 A61P3/10

Nach der Internationalen Patentklassifikation (IPK) oder nach der nationalen Klassifikation und der IPK

B. RECHERCHIERTE GEBIETE

Recherchierter Mindestprüfstoff (Klassifikationssystem und Klassifikationssymbole)

IPK 7 A61K A61P

Recherchierte aber nicht zum Mindestprüfstoff gehörende Veröffentlichungen, soweit diese unter die recherchierten Gebiete fallen

Während der internationalen Recherche konsultierte elektronische Datenbank (Name der Datenbank und evtl. verwendete Suchbegriffe)

EPO-Internal, WPI Data, CHEM ABS Data

C. ALS WESENTLICH ANGESEHENE UNTERLAGEN

Kategorie*	Bezeichnung der Veröffentlichung, soweit erforderlich unter Angabe der in Betracht kommenden Teile	Betr. Anspruch Nr.
Y	EP 0 738 715 A (MERCK PATENT GMBH) 23. Oktober 1996 (1996-10-23) in der Anmeldung erwähnt Seite 2, Zeile 1-57 Seite 7, Zeile 22-26; Ansprüche 7-10 ---	1-5
Y	EP 0 723 962 A (MERCK PATENT GMBH) 31. Juli 1996 (1996-07-31) in der Anmeldung erwähnt Seite 2, Zeile 1-52 Seite 6, Zeile 11-13; Ansprüche 7,8 ---	1-5
Y	EP 0 763 534 A (MERCK PATENT GMBH) 19. März 1997 (1997-03-19) in der Anmeldung erwähnt Seite 2, Zeile 1-54 Seite 6, Zeile 57 -Seite 7, Zeile 2; Ansprüche 7-10 --- -/--	1-5



Weitere Veröffentlichungen sind der Fortsetzung von Feld C zu entnehmen



Siehe Anhang Patentfamilie

* Besondere Kategorien von angegebenen Veröffentlichungen

A Veröffentlichung, die den allgemeinen Stand der Technik definiert, aber nicht als besonders bedeutsam anzusehen ist

E älteres Dokument, das jedoch erst am oder nach dem internationalen Anmeldedatum veröffentlicht worden ist

L Veröffentlichung, die geeignet ist, einen Prioritätsanspruch zweifelhaft erscheinen zu lassen, oder durch die das Veröffentlichungsdatum einer anderen im Recherchenbericht genannten Veröffentlichung belegt werden soll oder die aus einem anderen besonderen Grund angegeben ist (wie ausgeführt)

O Veröffentlichung, die sich auf eine mündliche Offenbarung, eine Benutzung, eine Ausstellung oder andere Maßnahmen bezieht

P Veröffentlichung, die vor dem internationalen Anmeldedatum, aber nach dem beanspruchten Prioritätsdatum veröffentlicht worden ist

T Spätere Veröffentlichung, die nach dem internationalen Anmeldedatum oder dem Prioritätsdatum veröffentlicht worden ist und mit der Anmeldung nicht kollidiert, sondern nur zum Verständnis des der Erfindung zugrundeliegenden Prinzips oder der ihr zugrundeliegenden Theorie angegeben ist

X Veröffentlichung von besonderer Bedeutung; die beanspruchte Erfindung kann allein aufgrund dieser Veröffentlichung nicht als neu oder auf erfinderischer Tätigkeit beruhend betrachtet werden

Y Veröffentlichung von besonderer Bedeutung; die beanspruchte Erfindung kann nicht als auf erfinderischer Tätigkeit beruhend betrachtet werden, wenn die Veröffentlichung mit einer oder mehreren anderen Veröffentlichungen dieser Kategorie in Verbindung gebracht wird und diese Verbindung für einen Fachmann naheliegend ist

G Veröffentlichung, die Mitglied derselben Patentfamilie ist

Datum des Abschlusses der internationalen Recherche

9. Januar 2003

Absenddatum des internationalen Recherchenberichts

20/01/2003

Name und Postanschrift der internationalen Recherchenbehörde

Europäisches Patentamt, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Bevollmächtigter Bediensteter

Friederich, M

C.(Fortsetzung) ALS WESENTLICH ANGESEHENE UNTERLAGEN

Kategorie*	Bezeichnung der Veröffentlichung, soweit erforderlich unter Angabe der in Betracht kommenden Teile	Betr. Anspruch Nr.
Y	EP 0 539 806 A (MERCK PATENT GMBH) 5. Mai 1993 (1993-05-05) in der Anmeldung erwähnt Seite 2, Zeile 1-41; Ansprüche 6,7 Seite 4, Zeile 53-55 ---	1-5
Y	EP 0 618 201 A (MERCK PATENT GMBH) 5. Oktober 1994 (1994-10-05) in der Anmeldung erwähnt Seite 2, Zeile 1-57 Seite 6, Zeile 41-43; Ansprüche 7,8 ---	1-5
Y	DE 196 04 388 A (MERCK PATENT GMBH) 14. August 1997 (1997-08-14) in der Anmeldung erwähnt Seite 2, Zeile 1-48 Seite 6, Zeile 66 -Seite 7, Zeile 2; Ansprüche 7-10 ---	1-5
Y	DYKE H J ET AL: "THE THERAPEUTIC POTENTIAL OF PDE4 INHIBITORS" EXPERT OPINION ON INVESTIGATIONAL DRUGS, ASHLEY PUBLICATIONS LTD., LONDON, GB, Bd. 8, Nr. 9, 1999, Seiten 1301-1325, XP001096074 ISSN: 1354-3784 * Kapitel 2-10 * ---	1-5
Y	EP 0 779 291 A (BAYER AG) 18. Juni 1997 (1997-06-18) in der Anmeldung erwähnt Seite 8, Zeile 33-52 ---	1-5
Y	WO 95 35281 A (CELLTECH THERAPEUTICS LTD) 28. Dezember 1995 (1995-12-28) in der Anmeldung erwähnt Seite 19, Zeile 34 -Seite 21, Zeile 11 -----	1-5

Im Recherchenbericht angeführtes Patentdokument	Datum der Veröffentlichung	Mitglied(er) der Patentfamilie	Datum der Veröffentlichung
EP 0738715	A	23-10-1996	DE 19514568 A1 24-10-1996
			AU 705025 B2 13-05-1999
			AU 5071196 A 31-10-1996
			CA 2174472 A1 21-10-1996
			CN 1142493 A 12-02-1997
			CZ 9601132 A3 13-11-1996
			EP 0738715 A2 23-10-1996
			HU 9601034 A2 30-12-1996
			JP 8291145 A 05-11-1996
			NO 961578 A 21-10-1996
			RU 2159236 C2 20-11-2000
			SK 48796 A3 05-02-1997
			TW 475927 B 11-02-2002
			US 2002111356 A1 15-08-2002
			US 6399611 B1 04-06-2002
			ZA 9603154 A 06-12-1996
EP 0723962	A	31-07-1996	DE 19502699 A1 01-08-1996
			AT 202775 T 15-07-2001
			AU 705639 B2 27-05-1999
			AU 4211196 A 08-08-1996
			CA 2168193 A1 29-07-1996
			CZ 9600251 A3 14-08-1996
			DE 59607188 D1 09-08-2001
			DK 723962 T3 29-10-2001
			EP 0723962 A1 31-07-1996
			ES 2160184 T3 01-11-2001
			GR 3036343 T3 30-11-2001
			HU 73981 A2 28-10-1996
			JP 8231522 A 10-09-1996
			NO 960352 A 29-07-1996
			PL 312489 A1 05-08-1996
			PT 723962 T 31-10-2001
			RU 2161613 C2 10-01-2001
			SI 723962 T1 31-12-2001
			SK 12396 A3 01-10-1996
			US 6025354 A 15-02-2000
			US 5747489 A 05-05-1998
			ZA 9600630 A 15-08-1996
EP 0763534	A	19-03-1997	DE 19533975 A1 20-03-1997
			AU 716113 B2 17-02-2000
			AU 6551796 A 20-03-1997
			BR 9603736 A 26-05-1998
			CA 2185397 A1 15-03-1997
			CN 1157287 A 20-08-1997
			CZ 9602630 A3 18-03-1998
			EP 0763534 A1 19-03-1997
			HU 9602511 A2 28-03-1997
			JP 9124611 A 13-05-1997
			NO 963852 A 17-03-1997
			PL 316070 A1 17-03-1997
			RU 2167159 C2 20-05-2001
			SK 110096 A3 06-08-1997
			US 5859008 A 12-01-1999
			ZA 9607766 A 26-03-1997
EP 0539806	A	05-05-1993	DE 4134893 A1 29-04-1993

Im Recherchenbericht angeführtes Patentdokument	Datum der Veröffentlichung	Mitglied(er) der Patentfamilie	Datum der Veröffentlichung
EP 0539806 A		AT 116644 T	15-01-1995
		AU 653444 B2	29-09-1994
		AU 2723192 A	29-04-1993
		CA 2081049 A1	24-04-1993
		CZ 9202636 A3	12-05-1993
		DE 59201148 D1	16-02-1995
		DK 539806 T3	13-03-1995
		EP 0539806 A1	05-05-1993
		ES 2066540 T3	01-03-1995
		HU 67938 A2	29-05-1995
		JP 3193789 B2	30-07-2001
		JP 5222017 A	31-08-1993
		MX 9206042 A1	01-04-1993
		NO 924098 A	26-04-1993
		PL 296314 A2	04-05-1993
		US 5276027 A	04-01-1994
		ZA 9208236 A	06-05-1993
EP 0618201 A	05-10-1994	DE 4310699 A1	06-10-1994
		AU 675488 B2	06-02-1997
		AU 5798394 A	06-10-1994
		CA 2120301 A1	02-10-1994
		CN 1101644 A	19-04-1995
		CZ 9400705 A3	15-12-1994
		EP 0618201 A1	05-10-1994
		HU 70543 A2	30-10-1995
		JP 7002812 A	06-01-1995
		NO 941150 A	03-10-1994
		SK 38594 A3	07-12-1994
		US 5434149 A	18-07-1995
DE 19604388 A	14-08-1997	DE 19604388 A1	14-08-1997
EP 0779291 A	18-06-1997	AT 206709 T	15-10-2001
		CA 2192281 A1	12-06-1997
		DE 69615802 D1	15-11-2001
		DE 69615802 T2	04-04-2002
		DK 779291 T3	21-01-2002
		EP 0779291 A1	18-06-1997
		ES 2161955 T3	16-12-2001
		JP 9202785 A	05-08-1997
		PT 779291 T	28-02-2002
		US 5922740 A	13-07-1999
WO 9535281 A	28-12-1995	AU 707472 B2	08-07-1999
		AU 2746195 A	15-01-1996
		CA 2192643 A1	28-12-1995
		CN 1151732 A	11-06-1997
		CZ 9603730 A3	13-08-1997
		EP 0770065 A1	02-05-1997
		FI 965126 A	19-12-1996
		WO 9535281 A1	28-12-1995
		GB 2302692 A ,B	29-01-1997
		HU 76803 A2	28-11-1997
		JP 10503173 T	24-03-1998
		NO 965524 A	20-12-1996
		NZ 288294 A	28-01-1999
		SK 163096 A3	08-10-1997

Formblatt PCT/ISA/210 (Anhang Patentfamilie)(Juli 1992)